



## JAMA

CORPORATION PRIVATE LIMITED

Head Office : 8/2B, Arya Nagar, Kanpur-208002, Uttar Pradesh, India  
Phones : +91 512 2551722, +91 512 2531886, +91 9511110695  
e-mail : corporate@jamaoldwest.com; admin@jamasafetyshoes.com

**Unit 1 :**  
123/35, Saresh Bagh,  
Kanpur-208012,  
Uttar Pradesh, India  
Phone : +91 512 2219141  
+91 512 2237367

**Unit 2 :**  
36 Milestone Kalpi Road,  
Jainpur, Ramabai Nagar,  
Kanpur Dehat-209311  
Uttar Pradesh, India  
Phone : +91 9793094999

**Unit 3 :**  
A-5, UPSIDC Industrial Area,  
Jainpur, Kanpur Dehat-209311  
Uttar Pradesh, India  
Phone : +91 8354889000

design:MAJ +91 980916561

# JAMA

## SAFETY SHOES



Article	Page No.
<b>Polyurethane (PU) Double Density</b>	
JS 004 - Austin .....	2
JS 010 - Denver .....	2
JS 082 - Aspen .....	2
JS 054 - Chicago .....	2
JS 062 - Phoenix .....	3
JS 115 - Seattle .....	3
JS 011 - Seattle .....	3
JS 059 - Seattle .....	3
JS 009 - Atlanta .....	4
JS 012 - Olympia .....	4
JS 087 - Olympia .....	4
JS 092 - Olympia .....	4
JS 100 - Tucson .....	5
JS 118 - Santa Fe .....	5
<b>Rubber/Polyurethane (PU) Double Density</b>	
JS 076 - Phoenix .....	5
JS 077 - Chicago.....	5
<b>Polyurethane (PU) Single Density</b>	
JS 109 - Commando Boot .....	6
JS 035 - Tactical Boot .....	6
JS 025 - Jungle Boot .....	6
JS 073 - Phoenix .....	6
JS 114 - Tacoma .....	7
JS 097 - Tacoma .....	7

JAMA Corporation Private Limited (JCPL, formerly known as MKJ Footwear Private Limited) was established in 1966 as a contract manufacturer for Acme Boot Company in USA. In 1994, JAMA established its own brand name in the USA, 'OLD WEST'. Old West is now a brand name well recognised in the western boot market world over.

JAMA is a 100% Export Oriented Unit on its own merit and has three well-equipped state-of-the-art manufacturing units employing approximately 1000 persons with Branch Offices in United States of America, Canada and Germany.

Keeping in view the increasing demand of safety shoes world over, JAMA has set up a plant for manufacturing Single Density & Double-Density PU Moulded Safety Footwear. JAMA has a wide variety of safety footwear, ranging from categories S1 to S3. The company uses only the finest quality raw material for the production of its safety footwear enhancing product life. The safety shoes offer features such as Oil & Fuel Resistance, Slip Resistance, 200 Joules Toe Protection, Anti-Puncture & Electrical resistance to name a few making it suitable for a wide-variety of work environments such as construction, mining, oil refining and many more. JAMA's safety shoes not only provide excellent protection to the wearer's feet but also offer a unique combination of comfort and style, making them practical for every-day use.

JAMA has also set up a Safety Shoe Testing Laboratory. All safety shoes manufactured by JAMA are in compliance with EN ISO 20345:2011 & IS 15298:2016 Part-2 standards.

JAMA has its own state-of-the-art Beamhouse and Leather Finishing Unit ensuring consistent and top quality leather for its shoes. All leathers manufactured are REACH compliant. The company has a fully equipped in-house testing lab to carry out the necessary physical and chemical tests on wetblue and finished leather.

Both the tanneries are equipped with a 'Zero Liquid Discharge' (ZLD) Effluent Treatment Plant and Reverse-Osmosis (RO). In order to conserve water, the tanneries recycle about 70 – 80% of water, hence reducing water consumption.

JAMA has obtained BIS Certification for its Single Density PU and Double Density PU Shoes for Design Classifications A, B & C. CM/L Number: 9300084113.

JAMA also has been successfully audited against LWG (Leather Working Group) Standards and is an ISO 9001:2015, 14001:2015, 45001:2018 (OH&S) & SA 8000:2014 certified company.

The company adheres to high ethical behaviour in following Rules and Regulations.

Leather used from our in-house LWG Audited Tannery



**Polyurethane (PU) Double Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap  
 Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° celsius, Anti-Static  
 Standard: EN ISO 20345:2011 (CE Certified), IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Austin**  
 Buffalo Oil Rust CG Cherry  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-004

Standard Features

Additional

Style : **Denver**  
 Brown Oil Pull Up  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-010

Standard Features

Additional



Style : **Aspen**  
 Buffalo Thunder Oiled Rust  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-082

Standard Features

Additional

Style : **Chicago**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-054

Standard Features

Additional

Also available in PU Single Density  
 Article No. : JS-074

**Polyurethane (PU) Double Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap  
 Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° celsius, Anti-Static  
 Standard: EN ISO 20345:2011 (CE Certified), IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Phoenix**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-062

Standard Features

Additional

Also available in 200 Joules Fibre Glass Toe Cap  
 Article No. : JS-062 FT

Style : **Seattle**  
 Buffalo Smooth Black  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-115

Standard Features

Additional



Style : **Seattle**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-011

Standard Features

Additional

Style : **Seattle**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-059

Standard Features

Additional

**Polyurethane (PU) Double Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap  
 Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° celsius, Anti-Static  
 Standard: EN ISO 20345:2011 (CE Certified), IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Atlanta**  
 Brown Oil Pull Up  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-009

Standard Features 

Additional 

Style : **Olympia**  
 Buffalo CG Claret Black  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-012

Standard Features 

Additional 



Style : **Olympia**  
 Buffalo Oiled Rust CG Cherry  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-087

Standard Features 

Additional 

Also available in PU Single Density  
 Article No. : JS-116

Style : **Olympia**  
 Honey Nubuck  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-092

Standard Features 

Additional 

**Polyurethane (PU) Double Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap  
 Sole: Double Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° celsius, Anti-Static  
 Standard: EN ISO 20345:2011 (CE Certified), IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Tucson**  
 Brown Oil Pull Up  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-100

Standard Features 

Additional 

Style : **Santa Fe**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-118

Standard Features 

Additional 

**Rubber/Polyurethane (PU) Double Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap,  
 Outsole: Rubber, Heat Resistant upto 300° celsius Midsole: Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant,  
 Anti-Static, Standard: EN ISO 20345:2011 (CE Certified)



Style : **Phoenix**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-076

Standard Features 

Additional 

Style : **Chicago**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-077

Standard Features 

Additional 

**Polyurethane (PU) Single Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap  
 Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° celsius, Anti-Static  
 Standard: EN ISO 20345:2011 (CE Certified), IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Commando Boot**  
 Nappa Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-109

Standard Features 

Additional 

Style : **Tactical Boot**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-035

Standard Features 

Additional 



Style : **Jungle Boot**  
 Jungle Green Cloth  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-025

Standard Features 

Additional 

Style : **Phoenix**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-073

Standard Features 

Additional 

Also available in 200 Joules Fibre Glass Toe Cap  
 Article No. : JS-073 FT

**Polyurethane (PU) Single Density**

Upper: Genuine Leather, Last: 522, Toe Cap: EN Standard 200 Joules Steel Toe Cap  
 Sole: Single Density Polyurethane (PU), Oil & Fuel Resistant, Slip Resistant, Heat Resistant upto 120° celsius, Anti-Static  
 Standard: EN ISO 20345:2011 (CE Certified), IS 15298:2016 Part-2 (CM/L: 9300084113)



Style : **Tacoma**  
 Buffalo Barton Print Black DIN-S3  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-114

Standard Features 

Additional 

Also available in 200 Joules Fibre Glass Toe Cap  
 Article No. : JS-114 FT

Style : **Tacoma**  
 Buffalo CG White  
 Size : EU 39-46, UK 5-12  
 Article No. : JS-097

Standard Features 

Additional 

**PICTOGRAM**

# CERTIFICATIONS

