

21//  
22

**Golden**  
**Bullet** <sup>®</sup> 

[www.goldenbullet.co.in](http://www.goldenbullet.co.in)

## MPA-CERTIFICATE

**Z-15210/21**

MPA-Hannover, accredited laboratory for the testing of grinding tools,  
has tested the following abrasive tools:



flat cutting-off wheels type 41 for stainless steel  
max. operating speed: 80 m/s, cut width: 1.0 mm and 1.2 mm  
bore diameter: 16 mm, outside diameters: 105 mm and 107 mm  
Test Reports: 20211296A and 20211296B



Industrial Tools Corporation  
Block E3, Unit No 3, 4&5, Parasnath Complex, Near Pipeline,  
Valpada, Bhiwandi. 421302, India

All tested tools have fulfilled the safety requirements of  
EN 12413:2019 "Safety requirements for bonded abrasive products"

Only cutting-off wheels of the tested type, produced by the mentioned manufacturer, which  
satisfy the other requirements of EN 12413 are allowed to be marked with the sign:

**MPA Z-15210**

The implementation of a Quality-Management-System of the manufacturer is mandatory.  
This certificate is only valid in connection with the above mentioned Test Reports and will expire on 2023.04.15.  
Regular, timely re-testing of the named tools can extend it.  
The manufacturer has agreed to unannounced controls of the products during this period.



MPA Hannover · Betriebsstätte Garbsen · An der Universität 2 · D-30823 Garbsen · Germany  
Tel. +49(0)511 762-43 62 · Fax +49(0)511 762-30 02 · [office.garbsen@mpa-hannover.de](mailto:office.garbsen@mpa-hannover.de) · [www.mpa-hannover.de](http://www.mpa-hannover.de)

We are pleased to announce that our abrasives are now MPA-Hannover (Germany) certified  
and meet international performance and safety standards.




## CONTENTS

Sr. No.	P R O D U C T S	Page No.
1.	ABRASIVES	02-07
2.	CIRCULAR DIAMOND SAW BLADES	08-11
3.	CIRCULAR TCT SAWS	12-13
4.	POWER TOOLS - CORDLESS	14-15
5.	POWER TOOLS	16-27
6.	POWER TOOL SPARES	28-30
7.	POWER TOOL ACCESSORIES & HAND TOOLS	31-49
8.	ROUTER AND TRIMMER BITS	50-55

# ABRASIVES



### CLOTH ROLL



#### ALUMINIUM OXIDE

4" with grits  
36, 50, 60, 80  
100 & 120


### COMBINATION STONE



#### SILICON CARBIDE

6 X 2 X 1  
8 X 2 X 1


### DIAMOND SHARPENING STONE



#### DIAMOND COATED

150mm X 50 X 8

### DIAMOND POLISHING FLEXIBLE PAD



4" in grits  
of 60, 100, 200, 400,  
800, 1500 & 3000

### DIAMOND POLISHING DC PADS



4" In seven grits  
numbered  
from 0 to 6



4" In seven grits  
numbered  
from 0 to 6

### DRY (SOOKHA) SANDER PAPER



#### RED

Aloxide  
in grits  
80, 100, 120,  
150, 180 & 220

### FELT - DC WHEEL



#### WHITE

4" x 8mm  
4" x 13mm

### CUT OFF WHEELS

#### CLASSIC SINGLE NET

##### BLACK



4" x 1 mm  
4" x 1 x 20 Marbo  
4" x 2 mm  
4" x 3 mm



5" x 1 mm  
5" x 3 mm



7" x 1 mm



7" x 3 mm



12" x 2.8 mm



14" x 2.8 mm

##### GREEN




4" x 1 mm



5" x 1 mm



7" x 1 mm



14" x 2.5 mm

#### EASY-CUT DOUBLE NET

##### BLACK

4" x 1 mm



##### BROWN

4" x 1 mm



##### GREEN

4" x 1 mm



### SUPERB SINGLE NET



**BLACK** >>  
4" x 1 mm



**GREEN** >>  
4" x 1 mm



**BLACK** >>  
14" x 2.8 mm



**GREEN** >>  
14" x 2.8 mm



**BROWN** >>  
14" x 2.8 mm

### SUPER THIN RAZOR-CUT DOUBLE NET



**BLACK** >>  
4" x 0.8 mm



**GREEN** >>  
4" x 0.8 mm

**FIBER DISC**



4" & 5"  
0.6mm  
Thickness  
In grits of  
24, 36, 50, 60,  
80, 100 & 120


**VELCRO FIBER DISC**

**VELCRO**




5"  
in grits of  
36, 60, 80, 100  
120, 150, 180, 220  
& 320

**VELCRO**



7"  
in grits of  
60, 80, 120,  
150, 180, 220  
& 320

**VELCRO**



9"  
in grits of  
60, 80, 120,  
150, 180, 220  
& 320

**FLAP WHEELS**

**FLEXIBLE - BLACK**




4" in grits of  
60, 80 & 120

**FLEXIBLE - BLUE**



4" in grit of 120

**PREMIUM**



4" : 36, 60, 80, 120 & 220  
5" : 60, 80 & 120  
7" : 60, 80 & 120

**PROFESSIONAL**



PVC Backing  
4" in grits of  
60, 80 & 120



### GC WHEEL



#### BLACK

For Stone & Glass

4"  
in grits of  
46, 60, 80,  
120, 180 & 220

### GC WHEEL SS GC



#### GREEN

IN PVC BOX


4"  
in grits of  
36, 60,  
80 & 120

### GRINDING DC WHEEL



#### BLACK

4" x 4mm  
4" x 6mm  
5" x 6mm  
7" x 6mm  
9" x 6.5mm



#### GREEN

4" x 4mm  
4" x 6mm  
5" x 6mm  
7" x 6mm

### NON WOVEN DC WHEEL



#### BROWN

U3  
4" x 12mm  
4" x 16mm

### WATER PROOF PAPER



#### Silicon Carbide

In grits of :  
60, 80, 100, 120,  
150, 180, 220, 320,  
400, 600, 800,  
1000, 1200 & 1500

# CIRCULAR DIAMOND SAW BLADES



### BLADES FOR CONCRETE

**BLACK**

108mm &  
125mm



**RED**

108mm &  
125mm



**GREEN**

108mm




### BLADES FOR CERAMIC TILES

#### BLUE RANGE


**THIN SEGMENTED**

110mm



**THIN TURBO**

110mm



#### YELLOW RANGE

**THIN SEGMENTED**

110mm



**THIN TURBO**

110mm



### BLADES FOR GRANITE

**GOLDEN**

110mm




**ORANGE**

110mm




**SILVER**

110mm



**SUPER CUT**

110mm



### BLADES FOR GENERAL PURPOSE

#### ECO RANGE


##### RIM

110mm  
125mm




##### SEGMENTED

110, 125, 150,  
180, 200,  
250, 300,  
350mm



##### TURBO

110mm



#### PREMIUM RANGE


##### RIM

100mm



##### SEGMENTED

110, 125, 150,  
180, 200,  
250, 300,  
350mm



##### TURBO

100mm



### BLADES FOR WALL


#### WALL CHASER

114mm



#### WALL GROOVING

129mm  
110mm





#### WALL CUTTER

108mm





**DEEP CUP WHEELS**

**ECO RANGE**



**PREMIUM RANGE**



**OTHERS**

**FLAT CUP TURBO-RIM WHEEL** 




100mm

**GLASS & TILE CUTTING BLADE** 



100mm

# CIRCULAR TCT SAW



### TCT SAWS - 4" & 5"

#### BLACK



4 x 30  
4 x 40  
5 x 30  
5 x 40

#### SLIMPRO



4\*30  
4\*40  
5\*30  
5\*40

#### SUPERB WITH PENCIL



4\*30  
4\*40  
5\*30  
5\*40

#### STP BLADE SILVER, THIN & PROFESSIONAL



4 x 30  
4 x 40  
5 x 30  
5 x 40

### TCT SAWS - 6" To 14"

#### ALUMINIUM BLACK



For Cutting Aluminium

10", 12" & 14".  
Available either in 100 or 120 teeth

#### BLACK



For Cutting Wood

6" to 14"  
Available in 40 & 60 teeth


#### STP SILVER THIN & PROFESSIONAL



For Cutting Wood

6" to 12"  
Available in 40 & 60 teeth

# POWER TOOLS-CORDLESS





### ANGLE GRINDER



**CAG 1230**

Capacity : 4"/100mm  
 Voltage : 20V  
 Power : 8A - 35A  
 Battery Power : 4000 mAh  
 No-load Speed : 10,000 rpm  
 Charging Time : 1½ to 3 hrs

With 2  
Lithium Ion  
Batteries



### CORDLESS DRILL



**CHD 3694**

Capacity : 10mm  
 Voltage : 12V  
 Power : 1.5 Ah x 2  
 No-load Speed : 0-350/0-1300 rpm  
 Max Torque : 30 Nm

With 2  
Lithium Ion  
Batteries

### DRILL MACHINE



**CHD 3692**

Capacity : 10mm  
 Voltage : 12V  
 Power : 1.5 Ah x 2  
 No-load Speed : 0-400/0-1500 rpm  
 Max Torque : 30 Nm

With 2  
Lithium Ion  
Batteries

### IMPACT WRENCH



**CIW 4290**

Max Torque : 180/280/310  
 Max Impact Rate : 0-3200 t/mints  
 Voltage : 20V  
 Power : 3.0 Ah  
 Charging Time : 2.5 hrs  
 Battery Life : 1 hr, 20 mints

With 2  
Lithium Ion  
Batteries



### ROTARY HAMMER



**CRH 7260**

Capacity : 16mm on concrete  
 Voltage : 21V  
 No-load Speed : 0-850 rpm  
 Impact Frequency : 0-3900 bpm

With 2  
Lithium Ion  
Batteries



### RIVETER



**CR 9633**

Capacity : 3 to 5mm  
 Voltage : 18V  
 Power : 10C  
 Battery Power : 2000 mA  
 Charging Time : 1 hr

With 2  
Lithium Ion  
Batteries



# POWER TOOLS



### ANGLE GRINDERS



**BPT 6-1002**

Capacity : 4"/100mm  
Input Power : 610W  
Speed : 11,000 rpm



**AG 6-100**

Capacity : 4"/100mm  
Input Power : 670W  
Speed : 11,000 rpm



**AG 801**

Capacity : 4"/100mm  
Input Power : 710W  
Speed : 11,000 rpm



**AG 801-2**

Capacity : 100/115mm  
Input Power : 800W  
Speed : 11,000 rpm



**BPT 801-3**

Capacity : 4"/100mm  
Input Power : 850W  
Speed : 11,000 rpm

### BLOWERS

#### EB 40

Air Pressure  
(Water Column) : 5.5Kpa  
Input Power : 550W  
No Load Speed : 13000r/min  
Air Volume : 2.8m<sup>3</sup>/min



#### BPT 40

Input Power : 600W  
No Load Speed : 16000r/min  
Voltage : 230V-50-Hz  
Wind Volume : 2.8m<sup>3</sup>/min



### BRUSH CUTTER

#### BPT 5202

Type : Single Cylinder; 2-Cycle  
Gasoline Engine  
Displacement Volume (cc) : 41.5  
Fuel Tank Capacity (L) : 1  
Oil/Gas Mixing Ratio : 25:1  
Starting : Recoil Starter



### CAR POLISHER

#### BPT 9227

Voltage/ Frequency : 220V/50Hz  
Input Power : 1200W  
No-load Speed : 600-3000rpm  
Dia. of Wheel : 180mm



### CHAINSAWS - ELECTRIC



#### **BPT 5016**

Capacity : 400mm / 16"  
Input Power : 1300W  
Speed : Max:11,000 rpm. Idling 3.000 rpm

### CHAINSAWS - GASOLINE



#### **BPT 2318 / BPT 2322**

Capacity : 58cc displacement  
Input Power : 2600w  
Bar length : 18" (450mm) / 22" (550mm)  
Engine Oil Tank Capacity : 260ml  
Fuel Tank Capacity : 550ml



#### **GC 5818 / GC 5822**

Capacity : 58cc displacement  
Input Power : 2600w  
Bar length : 18" (450mm) / 22" (550mm)  
Two-cycle Oil/Gas Mixing Ratio : 1:25



**CHAINSAW GRINDERS**

**CSG 0333**



Capacity : 4"/100mm disc diameter  
 Input Power : 130 W  
 Speed : 3200 rpm  
 Suitable for : All types of Chainsaw blades



**CSG 7119**



Capacity : 4"/100 mm disc diameter  
 Input Power : 180 W  
 Speed : 6300 rpm  
 Suitable for : All types of chainsaw blades

**CONCRETE VIBRATOR MACHINES**

**VD 7590**




Capacity : 45 mm Dia of Vibrating Head  
 Input Power : 2,350 W  
 No-load Speed : 4,000 rpm

**VD 5727**



Dia : 35mm Dia of Vibrating Head  
 Input Power : 750 W  
 Speed : 4000 rpm

CUT OFF MACHINE 7"



BPT 7000

Capacity : 180mm disc dia  
Input Power : 1200w  
No-load Speed : 5200rpm  
Blade Dia : 180mm

CORE DRILL MACHINE



DCD 200



Capacity : 200mm  
Input Power : 3300W  
Speed : 500rpm

CUT OFF MACHINE 14"



COM 355HB

Capacity : Disc dia 355mm  
Input Power : 1800 W  
Speed : 3,800 rpm



### DEMOLITION HAMMERS



**DH 11E**

Input Power : 1500W  
Rated Impacting Freq. : 900-1890 rpm  
11 kg Hammer



**BPT 11E**

Input Power : 1500W  
Rated Impacting Freq. : 900-1890 rpm  
11 kg Hammer



**BPT 65**

Input Power : 1400W  
Rated Impacting Freq. : 1400 rpm  
15 kg Hammer



**DH 0810**

Input Power : 900 W  
Rated Impacting Freq. : 2900 rpm  
5 kg Hammer



**BPT 0810**

Input Power : 900 W  
Rated Impacting Freq. : 2900 rpm  
5 kg Hammer



### DRILL MACHINE



#### BPT 10A

Capacity : 10mm  
 Input Power : 300W  
 No Load Speed : 0-2600 rpm

### DRILL MACHINES - IMPACT

#### ID BID 13

Capacity : 13mm  
 Input Power : 500W  
 Speed : 2200 rpm



#### ID 0043

Capacity : 13mm  
 Input Power : 760 W  
 Speed : 0-2600 rpm  
 (variable speed)  
 Others : Reverse/Forward



#### ID 5013

Input Power : 500W  
 No Load Speed : 0-2800rpm  
 Capacity : Steel 13 mm  
 Others : Reverse / Forward



### DIE GRINDER



#### BPT 0225

Input Power : 400W  
 Speed : 27000 rpm  
 Max. Grinding  
 Wheel Dia. : 25mm

### HEAT GUNS



#### BPT1800

Air mass flow : 230/350L/min  
 Rated Input Power : 1800W  
 Temperature : 400/550c  
 Voltage : 220V-50Hz



#### HG 2345 TC

Input Power : 2000W  
 Air Mass Flow : 230 Ltr./min,  
 350 Ltr./min  
 Temp Settings : 50-480°C,  
 50-600°C  
 Switch Position : 0-1-2

### JIGSAW MACHINES



#### JS 2739

Capacity : Max. cutting depth 70mm  
 Input Power : 610W  
 Speed : 0-3000 rpm



#### JS 4304

Capacity : Max. cutting depth 60mm  
 Input Power : 500W  
 Speed : 500-3000 rpm



### MARBLE CUTTERS



#### BPT4-2SA

Capacity : 4" / 110mm  
 Max Cutting Cap. : 34mm  
 Input Power : 1050W  
 Speed : 11,000 rpm



#### BPT4 SB

Capacity : 4" / 110mm  
 Max Cutting Cap. : 30mm  
 Input Power : 1240W  
 Speed : 12,000 rpm



#### MC BM4SA


Capacity : 4" / 110mm  
 Max Cutting Cap. : 34mm  
 Input Power : 1050W  
 Speed : 11,000 rpm



#### MC BM5

Capacity : 125mm  
 Max Cutting Cap. : 41mm  
 Input Power : 1300W  
 Speed : 12,500 rpm





### MITER SAW

#### MS 1040H

Capacity : 10"/255mm  
 Input Power : 1500 W  
 Speed : 4,700 rpm



INSTANT STOP



HEAVIER BASE

### ORBITAL DRYWALL SANDER



#### ODS 7345

Input Power : 710W  
 No-load Speed : 1,500-2,500 rpm  
 Diameter : 180mm / 7"

### PAINT MIXERS



#### BPT 160

Capacity : 160mm  
 Input Power : 1020W  
 Speed : 780rpm



#### PM 160

Capacity : 160mm  
 Input Power : 1020W  
 Speed : 800rpm

### PLANER MACHINES



#### BPT 1900 B

Capacity : Max planning width  
 82mm x 1mm  
 Input Power : 500 W  
 Speed : 15,800 rpm



#### HP 2797

Capacity : Max planning width  
 82mm x 1mm  
 Input Power : 600 W  
 Speed : 16,000 rpm

### PRESSURE WASHERS



**CW 6393**

Voltage/ Frequency : 220V/50Hz  
 Rated Power Input : 1500W  
 Max. Working Pressure : 8Mpa  
 Flow : 390L/H



**CW 9821**

Voltage/ Frequency : 220V/50Hz  
 Rated Power Input : 1800W  
 Max. Working Pressure : 80bar  
 Flow : 390L/H

### ROTARY HAMMERS



**RH 2-20**

Capacity : 20mm in  
 concrete  
 Input Power : 500W  
 Speed : 850 rpm



**BPT 2-20**

Capacity : 20mm in  
 concrete  
 Input Power : 500W  
 Speed : 850 rpm



**RH 2-26**

Capacity : 26mm  
 Input Power : 800W  
 Speed : 900 rpm  
 Voltage : 220V~50Hz



**BPT 2-26**

Capacity : 26mm  
 Input Power : 800W  
 Speed : 0-1100 rpm

### ROUTER MACHINE



**RM 3612**



Capacity : Bit dia 12mm  
 Input Power : 1850W  
 Speed : 23,000 rpm

### SCREWDRIVERS



**BPT 1123**

Drilling Dia. : 10mm  
 Input Power : 300 W  
 No Load Speed : 0-750rpm



**ESAD 4323**



Drilling dia : 10mm  
 Input Power : 240W  
 No-load Speed : 0 - 800 rpm  
 Impact Frequency : 0 - 4000 rpm

### TRIMMER MACHINE




**TM 3703**



Capacity : 6mm  
 Input Power : 530W  
 No-Load Speed : 3000r/min


### WALL GROOVE CUTTING MACHINE



**WGM 9567**

Input Power : 2500 W  
 No-load Speed : 7500rpm  
 Capacity : 4-45mm groove

# POWER TOOLS SPARES



ARMATURES ( ROTOR )

AG6-100 | AG 801 | C7 | \*COM 355 | CM 4SA | CM 4SB | DH 0810 | DH 11E | DH 65 | EB 40 | EC 5016 | ESAD 4323  
G 10SS | G 15SA2 | ID 13 | ID 0043 | ID 5013 | MT 0410 | MT 9553 | PD 100D | PM 160 | RH 2-20 | RH 2-26 | VD 5727



FIELD COILS (STATOR)

AG6-100 | AG 801 | C7 | COM 355 | CM 4SA | CM 4SB | DH 0810 | DH 11E | DH 65 | EB 40 | EC 5016 | ESAD 4323  
G 10SS | G 15SA2 | ID 13 | ID 0043 | ID 5013 | MT 0410 | MT 9553 | PD 100D | PM 160 | RH 2-20 | RH 2-26 | VD 5727



CARBON BRUSHES

AG6-100 | AG 801 | COM 355 | CM 4SA | DH 0810 | DH 11E | DH 65 | RH 2-20 | RH 2-26 | 21 for EBC40 / Pd100 | 41 for DU 10 / ID 13



GEARS

AG6-100 | AG 801 | COM 355 | CM 4SA | DH 0810 | DH 11E | RH2-20-Helical Gear | RH2-20-Shaft Gear | RH2-26-Helical Gear | RH2-26-Shaft Gear





# POWER TOOL ACCESSORIES & HAND TOOLS



**AB WASHERS**

**AG 6 -100**



**AG - 801**



**CM4SA**



**ADAPTORS**

**CUP BRUSH ADAPTOR**



M14 Male x  
M10 Female

**CORE BIT ADAPTOR**



**CORE DRILL ADAPTORS**



81mm  
1 1/4 UNC Male  
22 mm Female



105mm  
22mm Male  
1 1/4 UNC Female

**RIVETING ADAPTOR - ESRA1**




**SDS ADAPTOR**



**ALLENKEY SETS**

**BALL HEAD**



Long in Length,  
9pc set, from  
1.5mm to 10mm

**HEX HEAD**



Standard Length,  
9pc set, from  
1.5mm to 10mm

**TORX HEAD**



Long in Length,  
9pc set, from  
T10 To T50,  
Tamper proof

**AVIATION TIN SNIP**

10"



**BACKING PADS - PLASTIC**


**ORANGE**

4" dia.



**GOLDEN**

5" dia.



**SILVER**

5" dia.

**WHITE**

122mm / 5"

**HEAVY DUTY**

**GREEN**

122mm / 5"



**BACKING PADS - VELCRO**

**VELCRO WITH PLASTIC FOAM**

- M10 x 4"
- M10 x 5"
- M10 x 7"
- M10 x 9"



**BOLT CUTTERS**

8", 12", 14"  
18", 24" & 36"



### CAULKING TOOLS

**BCG-01 - DOUBLE PUSH**



**BCG-03 - HEAVY DUTY**



Ratchet Pushing Rod,  
Thrust Ratio of 18:1,  
Pushing Power &  
Gt: 2000N

**BCG-05 - MEDIUM DUTY**



Ratchet Pushing Rod,  
Thrust Ratio of 10:1,  
Pushing Power &  
Gt: 1500N

**BCG-07 - LIGHT DUTY**



Ratchet Pushing Rod,  
Thrust Ratio of 6:1,  
Pushing Power &  
Gt: 1000N

**BCG-09 - ECO**



### CHAINS

**PROFESSIONAL**



- Chain for 18" Gasoline Chain Saw Machine (36T)
- Chain for 22" Gasoline Chain Saw Machine (43T)

**PREMIUM**



- Chain for 16" Electric Chain Saw Machine
- Chain for 18" Gasoline Chain Saw Machine (36T)
- Chain for 22" Gasoline Chain Saw Machine (43T)

### CHALK LINE REEL SET

**30MTR**



**CHISELS**

**HEX- FOR 5KG. (0810)**




17 x 280mm x 25  
 17 x 280mm x 50  
 17 x 450mm x 25  
 17 x 450mm x 50

**SDS PLUS FOR**




14 x 250mm x 20  
 14 x 250mm x 40

**SDS MAX FOR 11KG. (11E)**



18 x 400mm x 25  
 18 x 600mm x 25

**SDS MAX FOR 15KG. (PH65)**



30 x 410mm x 35mm

**FIRMER CHISELS**



19mm

**WOOD CARVING CHISEL SETS**



Set of 6pcs


**COMBINATION PLIERS**

**PREMIUM**



8"

**SUPERB**



8"

**CORE BITS**

**BIT FOR GRANITE**

**FOR DRILL MACHINES**



19, 26, 33 & 38mm

**FOR GRINDER MACHINES**



6.5, 8.5, 10, 12, 14, 16, 19, 26, 33, 37, 40, 50 & 63mm

**BIT FOR GLASS**



5, 6, 8, 10, 12, 14, 16 & 19mm

**BIT FOR MARBLE**



13, 19, 25, 32 & 38mm

**CORE DRILLS FOR CONCRETE**

**BLUE-1¼ UNC**



450 mm length

Available in mm sizes of : 25, 27, 32, 40, 46, 51, 63, 76, 83, 89, 102, 112, 127, 152, 180 & 200

**SILVER-M22**



450 mm length

Available in mm sizes of : 25, 27, 32, 40, 46, 51, 63, 76, 83, 89, 102, 112, 127 & 152

**CUP BRUSHES**

**CRIMPED**



M10 x 3"

**TWISTED**



M10 x 3"  
M14 x 4"

### DRILLS

#### FLAT WOOD BITS SET



6 pcs. set with sizes from 10mm to 25mm  
6.35(1/4"), 8, 10, 12, 13, 14, 16, 18, 19, 20, 22, 25.4(1"), 32 & 38



#### FOUR SLOT DRILL



165 mm length  
Available in mm sizes of : 12, 14, 16, 18, & 20

#### GLASS & TILE ARROW DRILL



6mm

### HAMMER DRILLS

#### SDS PLUS



4mm to 32mm various lengths are available in each size

#### QUATRO TIP +



SDS Plus  
4mm to 25mm various lengths are available in each size

#### HSS COBALT DRILL FOR SS



5% Cobalt for S. S. Drilling  
Available in sizes 3/32" to 1/2" & 2 to 13mm

#### HSS JOBBER DRILLS



3/32" to 1/2"  
Also available in 13 pcs. set from 1/16" to 1/4"


### MASONRY DRILLS

#### STANDARD




Length  
1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 1/2 & 6.0mm

#### LONG SERIES



12" Length in each size of : 1/2

**DISPLAY STAND**



**DRILL CHUCKS**



Capacity 6mm,  
10mm & 13mm



**KEYLESS**

10mm x 24  
13mm x 20



**KEY**

6mm  
13mm

**FASTENERS**

**RIVETS**



1/8\*1/2 Inch  
1/8\*3/4 Inch  
5/32\*1/2 Inch  
5/32\*3/4 Inch  
3/16\*1/2 Inch  
3/16\*3/4 Inch  
3/16\*1 Inch

**DRY WALL SCREW (FLAT HEAD)**

**BLACK PHOSPHATE**



6 x 13mm  
6 x 19mm  
6 x 25mm  
6 x 32mm  
6 x 38mm  
6 x 50mm  
6 x 65mm



**GLASS CUTTERS**

**GC 12**

Cutting Range  
3-12mm



**GC 19**

Cutting Range  
05-19mm



**PLASTIC HANDLE**



**GLASS SUCTION CUPS**

**GSC-2**

Vertical Suction - 80Kgs  
Horizontal Suction - 100Kgs



**GSC-3**

Vertical Suction - 125Kgs  
Horizontal Suction - 150Kgs



**GLOVES ( DOTTED )**

**45 GMS**



**55 GMS**



**GUIDE BARS**

**FOR ELECTRIC CHAINSAW MACHINE**

16"



**FOR GASOLINE CHAINSAW MACHINE**

18" & 22"



**HACKSAW BLADE**

**HSS BIMETAL, FLEXIBLE**



12x1/2x18T,  
12x1/2x24T

**HACKSAW FRAME**

**BHF 03 PLASTIC HANDLE**



12"

**HANDLE - CHISEL**

**PLASTIC**

5"



**WOODEN**

5"



**HAND WIRE BRUSHES**

**PLASTIC HANDLE**

5 Row



**WOODEN HANDLE**

6 Row



**HANDSAWS**

**369-18**

Yellow and Blue Handle  
0.9mm blade in 18"



**495**

Orange & Black Plastic Handle  
0.9mm Blade  
in 12", 18" & 24"



**610**

Wooden Handle  
in 16"



**FOR CONCRETE HOLLOW BLOCKS**

28"  
715mm



**HINGE BORING BITS**

**TCT SUPERB (ECO)**



35mm

**TUNGSTEN CARBIDE TIPPED**



1/2", 16, 18, 19, 20, 22, 25, 28, 30, 32, 35, 38, 40, 45 & 54mm

**HOLESAWS**

**BI-METAL**

**MODEL-HBMO**



**50MM OAL**  
With Arbor for Metal  
19, 22, 24, 25, 28, 32, 35, 38, 40, 51, 54, 63 & 75mm

**HCS FOR POP**

**MODEL-HHPN**



4", 5", 6", 7" & 8"

**HCS FOR WOOD**

**MODEL-HHWN**



25, 32, 38, 50, 64 & 75mm

**HSS-JAPAN TYPE**

**MODEL-HHMS**



**15MM OAL**  
12, 14, 16, 19, 20, 22, 25, 32, 35 & 38mm dia

**TCT FOR CONCRETE**

**MODEL-HTCS**



**72MM OAL**  
35, 40, 50, 60, 65, 75, 100 & 125mm

**TCT FOR SS**

**MODEL-HTSS**



**30MM OAL**  
with Arbor-Big  
14, 16, 19, 22, 25, 28, 32, 35, 38, 44, 51, 57, 63, 70 & 75mm dia

**HOLESAW SETS ( HCS )**

**SET OF 6 PCS**



Carbon Steel,  
with Holesaws  
of 32, 38, 51 & 54 mm

**SET OF 11 PCS**



Set of 11 pcs.  
with Holesaws of  
19, 22, 29,  
32, 38, 44, 51 &  
64 mm

**SET OF 12 PCS**



Set of 12 pcs.  
with Holesaws of  
19, 22, 29,  
32, 38, 44, 51 &  
64 & 76mm

**SET OF 16 PCS**



Set of 16 pcs.  
with Holesaws of  
19, 22, 29, 32, 38,  
44, 51, 64, 76, 84,  
102 & 127 mm

**HOLESAW EXTENSION BARS**

**SDS PLUS SHANK**

300, 450 & 600mm



**JIGSAW BLADE FOR BOS /  
MAKITA / BLACK & DECKER**



Model :  
119 BOS  
244 D BOS  
144 BOS  
144 BD  
144 MAK

**LAMINATE  
CUTTER**

**MICA CUTTER**



**MULTI SPANNER  
2PC SET**



One Double Ended Wrench

9-14 mm & 15 - 22 mm

One Single Ended Wrench

23-32 mm

**NEEDLE DIAMOND FILE SETS**



Set  
14cm x 5pcs


**NEEDLE FILE SETS**



Set  
14cm x 10pcs

**NEEDLE VIBRATORS**

**FOR VD 5727 - 35MM DIA**



VS 100 - 1.00 mtrs.  
VS 150 - 1.50 mtrs.  
VS 200 - 2.00 mtrs.  
VS 300 - 3.00 mtrs.

**FOR VD 7590 - 45MM DIA**



VS 400 - 4.00 mtrs.


**NOSE PLIERS**

**PREMIUM**



6"

**SUPERB**



6"

**NUT RUNNER**




Magnetic

8 x 42mm  
8 x 50mm  
8 x 65mm  
10 x 65mm

**PAINT MIXER RODS**

**SPIRAL TYPE**

PM 162



**FAN TYPE**

PM 163



**PIPE CUTTER**

PVC cutting range  
3-42mm



**PLANER BLADES**

**HIGH CARBON STEEL**

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.  
3 pcs. packing



**CHROME VANADIUM STEEL**

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.  
3 pcs. packing



**HIGH SPEED STEEL**

Available in lengths from 9" to 24" and in thickness of 2.2mm and 3.0mm.  
3 pcs. packing



**TUNGSTEN CARBIDE TIPPED**

Available in lengths from 9" to 24" in thickness of 3.0mm only.  
3 pcs. packing



**PLANER BLADE SET 82mm  
SUITABLE TO FIT BOS PLANER MACHINES**

CRV



HSS



TCT



**PLANER BLADE SET 82mm  
SUITABLE TO FIT MAK 1900B PLANER MACHINES**

CRV



HSS



TCT



**PLANER BLADE SET 82mm  
SUITABLE TO FIT HIT F-20 PLANER MACHINES**

CRV



HSS



TCT



**PLASTIC FLEXIBLE PIPES**



**30 MTR** 

Available Sizes of:  
 1/4 x 1/32 - 700gm (approx)  
 1/4 x 3/64 - 850gm (approx)  
 1/4 x 1/16 - 1100gm (approx)  
 5/16 x 3/64 - 1100 gm (approx)



**10 MTR** 

Available Sizes of:  
 1/4 x 1/32 - 250gm (approx)  
 1/4 x 3/64 - 300gm (approx)

**PAD NUT**




1016 : 4"Grinder x 4" Pad  
 1022 : 4"Grinder x 5" Pad  
 1422 : 5"Grinder x 5" Pad

**RIVETERS**

**HR-03** 

10 1/2"



with free spares

**HR-05** 


10 1/2"



with free spares

**HR-07** 

8"



**EASY PUSH**

with free spares


**HR-09** 

12"  
with free extra spring and jaw!



**HR-32** 

with free extra spring and jaw!





### RUBBER MALLETS



30, 40, 50, 60 & 70

### RUBBER HAMMERS



1.5", 2", 2.5" & 3"

### SCREW BITS



#### CS 2 - GREY

##### Double Ended

- PH2 x SL6 x 65mm
- PH2 x PH2 x 65mm
- PH1 x PH1 x 65mm
- PH2 x PH2 x 100mm
- PH2 x PH2 x 150mm




#### TS 2 - ZINC

- PH2 x PH2 x 65mm



#### K 5 - BLUE

- PH2 x PH2 x 65mm



### SCREW DRIVERS

#### CUSHION GRIP (+/-)



- CA/CP 6mm x 100mm
- CA/CP 6mm x 150mm
- CA/CP 6mm x 200mm
- CA/CP 6mm x 250mm

#### CUSHION GRIP - 2 IN 1




- CTW 6mm x 100mm
- CTW 6mm x 150mm

#### HAMMERING (+/-)



- HA/HP 6mm x 100mm
- HA/HP 6mm x 150mm
- HA/HP 6mm x 200mm
- HA/HP 6mm x 250mm
- HA/HP 8mm x 150mm
- HA/HP 8mm x 200mm
- HA/HP 8mm x 250mm
- HA/HP 8mm x 300mm

#### HAMMERING - 2 IN 1



- HTW 6mm x 100mm
- HTW 6mm x 150mm
- HTW 6mm x 200mm
- HTW 6mm x 250mm

#### RED & BLUE - 2 IN 1



- ATW 6mm x 100mm
- ATW 6mm x 150mm

**SECATEURS  
(FLOWER CUTTER)**



**200 MM**

with spare spring, nut & Lock.

**SNAP OFF CUTTER**



**19MM**

**SPANNERS**

**ADJUSTABLE SPANNER FOR AB WASHER**



**FOR AG 6-100**



**FOR AG 801**



**FLAT TYPE FOR CM4SA**



19 mm Flat, thin Hexagonal Ring Spanner  
10 mm Short Hexagonal Tee Spanner

**T-TYPE FOR CM4SA**



10 mm Short Hexagonal Tee Spanner

**SPIRIT LEVELS**

**63-12/18/24**

300, 450, 600 mm.




**576-12**

300 mm.  
Yellow/Black finish



**TORPEDO TYPE - 33-9"**

Magnetic



**MINI TYPE - 33-4"**

Magnetic



**TIN CUTTER**

12"



**TILE CUTTER WITH U-TYPE BREAKER**




**WALL GROOVING BLADE ATTACHMENT**



**WOOL POLISHING PAD**




# ROUTER AND TRIMMER BITS





### ROUTER BITS

#### RABBITING BITS (FOUR SIDE)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
123	3	35	*	10 x 5
124	4	35	*	12 x 6
126	6	35	*	14 x 7
128	8	35	*	16 x 8

#### FLUSH TRIM BIT WITH BEARING LONG (50mm)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5002L	8	50		50x8
5003L	10	50		50x10
5004L	13	50		50x13

#### CORNER BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
135	38	10	*	15 x 10
140	50	10	*	22 x 10
141	50	12	*	22 x 12
145	55	15	*	25 x 15

#### OVOLO BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9031	21	10	4	6 x 6
9032	25	12	6	8 x 8
9033	29	14	8	10 x 10
9034	33	16	10	12 x 12
9035	37	18	12	15 x 15
9036	43	21	15	19 x 19
9037	53	26	20	25 x 25

#### CENTER (CARVING) BITS





Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
934	12.7	12.7	45°	12.7 x 12.7

#### COVE BEAD BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9041	25	8	4	6 x 6
9042	29	10	6	8 x 8
9043	33	12	8	10 x 10

#### FLUSH TRIM BIT WITH BEARING




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5001	7	20		20 x 7
5002	8	20		20 x 8
5003	10	25		25 x 10
5004	13	25		25 x 13

#### OVOLO COVE PROFILE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9051	29	14	3	10 x 10
9052	37	18	5	15 x 15
9053	33	10	4	10 x 8
9054	38	12	6	15 x 12

### COVE-OVOLO PROFILE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9061	29	14	3	10 x 10
9062	37	18	5	15 x 15
9063	33	10	4	10 x 8
9064	38	12	6	15 x 12

### CORE BOX ROUND BITS (ROUND NOSE)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9101	6	8	3	6 x 5
9102	8	9	4	8 x 6
9103	10	10	5	10 x 7
9104	12	11	6	12 x 8
9105	14	12	7	14 x 9
9106	16	13	8	16 x 10
9107	18	14	9	18 x 12
9108	20	15	10	20 x 14

### OGEE FILLET BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9071	29	14	3	10 x 10
9072	37	18	5	15 x 15
9073	33	10	4	10 x 8

### STEP & ROUND BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9201	10	8	3	10 x 5
9202	12	9	4	12 x 6
9203	14	10	5	14 x 7
9204	16	11	6	16 x 8
9205	18	12	7	18 x 9
9206	20	13	8	20 x 10
9207	22	14	9	22 x 12
9208	24	15	10	24 x 14

### ROMAN OGEE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9081	29	12	3	10 x 10
9082	37	16	5	15 x 15
9083	33	10	4	10 x 8
9084	38	12	6	15 x 12

### STEP BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9301	21	8	*	10 x 10
9302	25	12	*	15 x 15
9303	29	8	*	10 x 8
9304	33	12	*	15 x 12

### RABBETING (SLOT) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9091	35	4	*	4 x 12
9092	35	6	*	6 x 12
9093	35	8	*	8 x 12
9094	35	9	*	9 x 12
9095	35	10	*	10 x 12
9096	35	12	*	12 x 12
9097	35	15	*	15 x 12
9098	35	20	*	20 x 12
9099	35	25	*	25 x 12

### CHAMFER BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9401	29	10	45	10 x 10
9402	37	16	45	15 x 15
9403	33	10	45	10 x 8
9404	38	12	30	15 x 12
9405	40	14	30	12 x 10
9406	48	18	30	15 x 12

### STRAIGHT BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9501	4	13	*	13x4
9502	6	20	*	20x6
9503	8	20	*	20x8
9504	10	25	*	25x10
9505	12	20	*	20x12
9506	12.7	25	*	25x12.7
9507	15	25	*	25x15
9508	19	20	*	20x19
9509	20	20	*	20x20
9510	25	20	*	20x25

### PLUNGE CUT BEADING BITS





Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9701	6	7	2	6 x 4
9702	8	8	3	8 x 5
9703	10	10	4	10 x 6
9704	12	11	5	12 x 7
9705	14	12	6	14 x 8
9706	16	13	7	16 x 9
9707	18	14	8	18 x 10
9708	20	15	9	20 x 12
9709	22	16	10	22 x 14

### STRAIGHT BITS MEDIUM (38mm)





Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502M	6	38		38x6
9503M	8	38		38x8
9504M	10	38		38x10

### STEP OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9801	29	14	3	10 x 10
9802	37	18	5	15 x 15
9803	33	10	4	10 x 8
9804	38	12	6	15 x 12

### STRAIGHT BITS LONG (50mm)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502L	6	50		50x6
9503L	8	50		50x8
9504L	10	50		50x10
9505L	12	50		50x12
9506L	12.7	50		50x12.7

### BOTTOM OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9901	29	14	3	10 x 10
9902	37	18	5	15 x 15
9903	33	10	4	10 x 8
9904	38	12	6	15 x 12

### CLASSICAL PLUNGE BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9601	16	11	3	16 x 8
9602	20	13	4	20 x 10
9603	24	15	5	24 x 12
9604	28	18	6	28 x 14
9605	32	21	7	32 x 16
9606	36	24	8	36 x 18

### TOP OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9911	29	14	3	10 x 10
9912	37	18	5	15 x 15
9913	33	10	4	10 x 8
9914	38	12	6	15 x 12

### DOUBLE OLOGO BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9921	29	14	3	10 x 10

### CLASSIC ROMAN OGEE (CENTER) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9951	29	14	3	10 x 10
9952	37	18	5	15 x 15
9953	33	10	4	10 x 8
9954	38	12	6	15 x 12

### CENTER OLOGO (THREAD) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9931	6	5	3	6 x 5
9932	8	6	4	8 x 6
9933	10	7	5	10 x 7
9934	12	8	6	12 x 8
9935	14	9	7	14 x 9
9936	16	10	8	16 x 10

### THUMB MOULD BITS



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9961	29	14	3	10 x 10
9962	37	18	5	15 x 15
9963	33	10	4	10 x 8
9964	38	12	6	15 x 12

### CENTER (CARVING) BITS




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9941	6	5	45°	6 x 5
9942	8	6	45°	8 x 6
9943	10	7	45°	10 x 7
9944	12	8	45°	12 x 8
9945	14	9	45°	14 x 9
9946	16	10	45°	16 x 10
9947	18	11	45°	18 x 11
9948	20	12	45°	20 x 12
9949	24	13	45°	24 x 13
9950	30	14	45°	30 x 14




### TRIMMER BITS

#### CORNER ROUND BITS / OVOLO BITS (1/4")




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Radius ©
0106T(1/4)	26	6.5	6.5

#### CHAMFER BITS (1/4")




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Angle (A)
0808T(1/4)	24.25	7.92	45

#### CENTER (CARVING) BITS (1/4")




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
0934T(1/4)	12.7	12.7	45	12.5 x 12.7

#### FLUSH TRIM BIT BEARING (1/4")




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
5002T(1/4)	8	20	-	20 x 8
5003T(1/4)	10	25	-	25 x 10
5004T(1/4)	13	25	-	25 x 13

#### RABBETING BITS - 2 TIPS (1/4")




Item Code	Cutting Diameter (D)	Cutting Breadth (B)	Cutting Height (H)
9092T(1/4)	35	6	13
9093T(1/4)	35	8	13
9095T(1/4)	35	10	13

#### COVE BOX ROUND BITS ( ROUND NOSE ) (1/4")




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9104T(1/4)	12	11	6	12 x 8

#### STRAIGHT BITS (1/4")



Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9501T(1/4)	4	13		13x4
9502T(1/4)	6	20		20x6
9503T(1/4)	8	20		20x8
9504T(1/4)	10	25		20x10
9505T(1/4)	12	20		20x12

#### STRAIGHT BITS (6mm)




Item Code	Cutting Dia (A)	Cutting Length (H)	Radius (R)	Cutting Area
9502T(6mm)	6	20		20x6
9503T(6mm)	8	20		20x8
9504T(6mm)	10	20		25x10

## ABOUT OUR PRODUCTS

Golden Bullet products are synonymous with good quality and value for money prices.

The range of Golden Bullet products include power tools, hand tools, fasteners, wood working tools, abrasives, diamond blades and various power tool accessories. The range is continuously evolving to offer more and more products that our buyers require to ease and simplify their work.

Popular and reputed products attract fakes and copies. We have sought to discourage this in Golden Bullet products by giving each and every buyer the power to check the genuineness of the product they have purchased by a simple WhatsApp Message.


Every Golden Bullet product has a hologram with a unique code number. A simple WhatsApp by the buyer, to  +91-9223575757 with this code gets a reply confirming the product is original or duplicate. A system which is effective and foolproof.

We have put adequate details and instructions on our packaging to encourage our buyers to check and buy. We are also adopting innumerable ways to caution and educate our buyers.

We hope you have a good experience using our products. Should you wish to share any of your experiences of using our products, please feel free to write to us on **[care@goldenbullet.co.in](mailto:care@goldenbullet.co.in)**

# SCRATCH & WIN

Buy **Golden Bullet** products and get a chance to win exciting prizes like motorbikes and mobile phones!

Scratch the silver coating of the hologram on your Golden Bullet product and WhatsApp the code beneath it to  +91 9223575757.

Within a short period you will get an answer with one of the following three number codes :

111. - This means the product is original and you have been registered for the contest.

222. - This means the product is not an original Golden Bullet product and that you have not been registered for the contest. In case you receive this code, reach out to the dealer you made the purchase from and ask why you have received a fake product.

666. - This indicates that number on the hologram has been registered before. If the code was not registered by you earlier then the product is surely a duplicate. In case you receive this code and have not registered the number on the hologram earlier, reach out to the dealer you made the purchase from and ask why you have received a fake product.

\*For Terms & Conditions on the contest, visit our website [www.goldenbullet.co.in](http://www.goldenbullet.co.in)

Samsung Phone  
12 lucky winners

Bajaj Pulsar 150 Bike  
2 lucky winners\*\*



## Bike Winners of Scratch & Win Contest



2019  
Bike Winner from Mallapuram



2020  
Bike Winner from Hyderabad



2020  
Bike Winner from Aurangabad





[instagram.com/goldenbulletpta/](https://www.instagram.com/goldenbulletpta/)



[care@goldenbullet.co.in](mailto:care@goldenbullet.co.in)



[www.youtube.com/c/GoldenBullet](https://www.youtube.com/c/GoldenBullet)



[www.facebook.com/goldenbulletpro](https://www.facebook.com/goldenbulletpro)

Check original and win prizes!  
WhatsApp the code on the hologram to



**+91 9223575757**

**AUTHORISED DEALER :**

