




BOSCH



PROFESSIONAL BLUE POWER TOOLS FOR TRADE AND INDUSTRY Range 2020-21



DELIVERING USER CONVENIENCE at every step



BOSCH GO 2.0 DRIVEN BY A WINNING LEGACY



reddot design award





BE Connected is a simple way for users, channel partners and products to stay connected.


Avail the best-in-class Bosch products with all the benefits of user loyalty programmes and seamless After Sales Service.




Scan the QR code on the label of your power tool




Register on BE Connected and get benefited



Receive e-warranty instantly



Get product information, tutorial videos, customer reviews and more



You can even get discount coupons!



Simply scan and enjoy a world of benefits

BENEFITS

Anti-Counterfeit

Certified Bosch-made products only

Scope of Supply Check

Real-time data on inventory

Warranty Certificate

Quality products with certified assurances

Survey User Data

Make informed choices and decisions

Promotions / Coupons

Win exciting rewards and prizes

Warranty Extension

Maximize performance and product lifecycle

Communication/Promo

Stay up to date with the latest from Bosch

Where to Buy / Offline

Locate the nearest Bosch dealer to you

Fleet Management

Manage your entire portfolio of products

Product Info (Video)

Valuable demos and tutorials on the product

Reviews

Share your valuable experience with us and your peers

Loyalty Programme

Build a long, sustainable relationship with Bosch

CORDLESS MATLAB BOSCH

BOSCH BRUSHLESS TECHNOLOGY
Cordless, Brushless,
Cost Less, Worry Less!

2X lifetime
Up to 30% longer runtime

Thanks to EC brushless motor





SCREWDRIVER

Bosch GO Solo Professional



***Product available till stock last**

Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 9H2 0F0 |
| Battery voltage | 3.6 V |
| Torque max. (hard/soft) | 5 / 2.5 Nm |
| No-load speed | 360 rpm |
| Weight incl. battery | 0.28 kg |



Scope of supply:
Small plastic box;
1 PH2 screw bit; USB cable

MRP: ₹ 3,245


SCREWDRIVER

New! Bosch GO 2.0 Professional



Technical Specifications

| | |
|--------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 9H2 1L1 |
| Battery voltage | 3.6 V |
| Torque, max. (hard/soft) | 5 / 2.5 Nm |
| No-load speed | 360 rpm |
| Electronic brake | Yes |
| Smart Stop | Yes |
| Tool holder | ¼" Inter HEX |



Scope of supply:
1 USB cable;
PH1 & PH2 screw bit

MRP: ₹ 4,400

DRILL DRIVER

New! GSR 120-Li (Single Battery) Professional



Technical Specifications

| | |
|--------------------------|---------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9G8 0F1 |
| Battery voltage | 12 V |
| No-load speed | 0-400 / 0-1,500 rpm |
| Torque, max. (hard/soft) | 30 / 14 Nm |
| Max screw dia | 7 mm |
| Chuck size | 10 mm |
| Drilling in wood/metal | 20 / 10 mm |
| Weight incl. battery | 0.97 kg |



Scope of supply:
1 x 12V 2 Ah battery;
1 Charger

MRP: ₹ 6,055

DRILL DRIVER

Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9G8 0F0 |
| Battery voltage | 12 V |
| No-load speed (1 st /2 nd) | 0 - 400 / 0 - 1500 rpm |
| Torque (Hard/Soft) | 30 / 14 Nm |
| Max. screw diameter | 7 mm |
| Max. drilling (wood/steel) | 20 / 10 mm |
| Chuck size | 10 mm |

Scope of supply:
2 x 12V 1.5 Ah Li-ion Batteries,
1 Charger, Carry Case,
Accessory set, 6 metal drill bit,
4 wood drill bit, 10 screw driver
bit and 1 screw driver bit holder

MRP: ₹ 9,410



GSR 120 Li Professional



SCREWDRIVER

Technical Specifications

| | |
|----------------------------|---------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9G9 0K0 |
| Battery voltage | 12 V |
| No-load speed | 0-420 / 0-1,600 rpm |
| Torque, max. (hard/soft) | 30 / 18 Nm |
| Max. Screw diameter | 8 mm |
| Max. drilling (wood/steel) | 20 / 10 mm |

Scope of supply:
2 x 2.0Ah,
AL 1240CV,
Carrying Case

MRP: ₹ 15,200



New! GSR 12V-30 Professional



DRILL DRIVER

Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9F6 0K0 |
| Battery voltage | 12 V |
| No-load speed (1 st /2 nd) | 0 - 400 / 0 - 1300 rpm |
| Torque (Hard/Soft) | 30 / 15 Nm |
| Max. screw diameter | 7 mm |
| Max. drilling (wood/steel) | 19 / 10 mm |
| Chuck size | 10 mm |

Scope of supply:
Drill chuck adapter GFA 12-B;
Off-set angle adapter GFA 12-E;
Angle adapter GFA 12-W;
Hex adapter; 1 Charger;
2 x 2 Ah Li-ion Battery; Carry case

MRP: ₹ 21,925



GSR 12V-15 FC Professional



DRILL DRIVER

Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9D4 0K2 |
| Battery voltage | 12 V |
| No-load speed (1 st /2 nd) | 0 - 400 / 0 - 1300 rpm |
| Torque (Hard/Soft) | 20 / 18 Nm |
| Max. screw diameter | 7 mm |
| Max. drilling (wood/steel) | 25 / 10 mm |
| Chuck size | 10 mm |

Scope of supply:
Carry case; 2 x 2.0 Ah batteries;
Quick charger

MRP: ₹ 16,620



GSR 12 V-EC Professional



*Product
available till
stock last

DRILL DRIVER

GSR 180-Li Professional



Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9F8 1K0 |
| Battery voltage | 18 V |
| No-load speed (1 st /2 nd) | 0 - 450 / 0 - 1700 rpm |
| Torque (Hard/Soft) | 54 / 21 Nm |
| Max. screw diameter | 10 mm |
| Max. drilling (wood/steel) | 35 / 10 mm |
| Chuck size | 13 mm |



Scope of supply:
2 x 1.5 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 14,580



DRILL DRIVER

GSR 18 V-EC Professional



*Product available till stock last



Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9E8 1K0 |
| Battery voltage | 18 V |
| Torque, max. (hard/soft) | 60 / 31 Nm |
| No-load speed (1 st gear/2 nd gear) | 0 - 600 / 0 - 1900 rpm |
| Drill spindle thread | 1/2" |
| Torque settings | 20+1 |
| Max. screw diameter | 10 mm |
| Bit holder | Three-jaw chuck |



Scope of supply:
Carry case; 1 charger;
2 x 2.0 Ah Li-Ion batteries

MRP: ₹ 28,580



DRILL DRIVER

New! GSR 18V-50 Professional



Technical Specifications

| | |
|----------------------------|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9H5 0K0 |
| Battery voltage | 18 V |
| No-load speed | 0 - 460 / 0 - 1800 rpm |
| Torque, max. (hard/soft) | 50 / 28 Nm |
| Max. drilling (wood/steel) | 35 / 13 mm |
| Max. screw diameter | 10 mm |



Scope of supply:
Carry case; 1 charger;
2 x 2.0 Ah Li-ion batteries

MRP: ₹ 21,575



IMPACT DRILL DRIVERS

GSB 120 Kit Professional



Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9G8 1K2 |
| Battery voltage | 12 V |
| No-load speed (1 st /2 nd) | 0 - 400 / 0 - 1500 rpm |
| Torque (Hard/Soft) | 30 / 14 Nm |
| Impact Rate | 0 - 18750 bpm |
| Max. drilling (wood/steel/masonry) | 20 / 10 / 8 mm |
| Weight with Battery | 1.1 kgs. |



Scope of supply:
Carry case; 1 Charger;
2 x 1.5 Ah Li-Ion battery;
Accessory set: 4 wood drill bits;
4 metal drill bits; 4 masonry
drill bits; 10 screw driver bits;
1 screw bit holder

MRP: ₹ 10,805



IMPACT DRILL DRIVERS

GSB 180-Li Professional

1




Technical Specifications

| | |
|---|------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9F8 3K0 |
| Battery voltage | 18 V |
| No-load speed (1 st /2 nd) | 0 - 450 / 0 - 1700 rpm |
| Torque (Hard/Soft) | 54 / 21 Nm |
| Max. screw diameter | 10 mm |
| Max. drilling (wood/steel/masonry) | 35 / 10 / 8 mm |
| Chuck size | 13 mm |

Scope of supply:
2 x 1.5 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 15,340



CORDLESS



IMPACT WRENCH

GDR 120 Li Professional



Technical Specifications

| | |
|---|-------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9F0 0K1 |
| Battery voltage | 12 V |
| No-load speed (1 st /2 nd) | 0 - 1300 / 0 - 2600 rpm |
| Torque (Hard) | 100 Nm |
| Max. screw diameter | 8 mm |
| Rated impact rate | 0 - 1900 / 0 - 3200 bpm |
| Bit holder | 1/4" hexagon socket |

Scope of supply:
2 x 2.0 Ah batteries,
1 charger, 1 carry case

MRP: ₹ 12,920



IMPACT WRENCH

GDR 12 V-EC Professional



Technical Specifications

| | |
|---------------------|-----------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9E0 0F6 |
| Battery voltage | 12 V |
| No-load speed | 2600 rpm |
| Torque (Hard) | 110 Nm |
| Max. screw diameter | M4 - M12 |
| Rated impact rate | 0 - 3100 bpm |
| Bit holder | 1/4" internal hexagon |

Scope of supply:
Carry case; 2 x 2Ah batteries;
1 charger

MRP: ₹ 22,470



IMPACT WRENCH

GDS 250 Li Professional



Technical Specifications

| | |
|-----------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 9G6 1K0 |
| Battery voltage | 18 V |
| Max torque | 250 Nm |
| No-load speed | 0 - 2400 min |
| Impact rate | 0 - 3,300 bpm |
| Tool holder | 1/2" Square |
| Nut diameter | M10~ M18 |

Scope of supply:
2 x 3 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 26,915



IMPACT WRENCH

GDS 18 V-EC 250 Professional



Technical Specifications

| | |
|---|----------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9D8 1F0 |
| No-load speed | 0 - 2400 rpm |
| Torque, max. (hard screwdriving applications) | 250 Nm |
| Rated impact rate | 0 - 2500 bpm |
| Battery voltage | 18 V |
| Toolholder | 1/2" external square |
| Nut dia. | M 10 - M 18 |
| Weight incl. battery | 1.85 kgs. |

Scope of supply:
2 x 4 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 44,610



IMPACT WRENCH

GDS 18 V-Li HT Professional



Technical Specifications

| | |
|-------------------|----------------------|
| HSN code | 84672100 |
| Part no. | 0 601 9A1 3F2 |
| Battery voltage | 18 V |
| Torque max. | 650 Nm |
| No-load speed | 0 - 1900 rpm |
| Rated impact rate | 0 - 2100 bpm |
| Screw diameter | M 12 - M 20 |
| Tool holder | 1/2" external square |
| Weight | 3 kgs. |

Scope of supply:
2 x 4 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 70,960



IMPACT WRENCH

GDx 18 V-EC Professional



*Product available till stock last



Technical Specifications

| | |
|-------------------|--|
| HSN code | 84672900 |
| Part no. | 0 601 9B9 1F0 |
| Torque max. | 185 Nm |
| No-load speed | 0 - 2800 rpm |
| Rated impact rate | 0 - 3200 bpm |
| Screw diameter | M 6 - M 16 |
| Bit holder | 1/4" Internal Hex socket + 1/2" External square |
| Battery voltage | 18 V |

Scope of supply:
2 x 4 Ah Li-ion batteries;
1 charger; Carry case

MRP: ₹ 37,790



ROTARY HAMMER 1-2 KG

GBH 180-Li (Brushless) Professional



Technical Specifications

| | |
|--------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 611 911 1F0 |
| Impact force | 2.0 J |
| Drilling capacity | 20 mm |
| No-load speed | 0 - 1800 rpm |
| Impact rate | 0 - 4550 bpm |
| Brushless motor | Yes |
| LED light | Yes |
| Weight (bare tool) | 2.4 kgs. |

Scope of supply:
1 charger;
2 x 4 Ah Li-ion batteries

MRP: ₹ 34,560



ROTARY HAMMER 3 KG



*Product available till stock last



Technical Specifications

| | |
|--|---------------|
| HSN code | 84672100 |
| Part no. | 0 611 906 003 |
| Max. impact energy | 3.2 J |
| Impact rate at rated speed | 0 - 4200 bpm |
| Rated speed | 0 - 940 rpm |
| Battery voltage | 36 V |
| Drilling dia. in concrete with hammer drill bits | 4 - 28 mm |
| Max. drilling dia. in steel/wood | 13/30 mm |
| Weight incl. battery | 4.5 kgs. |

Scope of supply:
Carry case; Depth stop;
Auxiliary handle; Charger;
2 x 4.0 Ah Li-Ion batteries

MRP: ₹ 76,290

GBH 36-V-28 Professional



1

CORDLESS

VACUUM CLEANER



Technical Specifications

| | |
|----------------------|--------------------|
| HSN code | 85081100 |
| Part no. | 0 601 9C6 2K1 |
| Battery Voltage | 18 V |
| Container volume | 0.7 L |
| Filter surface area | 55 cm ² |
| Weight excl. battery | 1.3 kgs. |

Scope of supply:
1 x 3.0 Ah battery;
Charger;
4 accessories

MRP: ₹ 15,130

GAS 18 V-1-Li KIT Professional



ANGLE GRINDER



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 9J4 0K1 |
| Battery Voltage | 18 V |
| Grinding spindle thread | M 10 |
| No-load speed | 9000 rpm |
| Weight w/o battery | 2.0 kgs. |

Scope of supply:
2 x 5.0 Ah Battery;
1 Charger; Handle;
Keyless protection guard;
Clamping unit

MRP: ₹ 35,570

GWS 18V-10 KIT Professional



BATTERY

GBA 12 V 2.0 Ah Professional



Technical Specifications

| | |
|------------------|---------------|
| HSN code | 85076000 |
| Part no. | 1 600 A00 F6X |
| Battery voltage | 12 V |
| Battery capacity | 2 Ah |
| Weight | 175 g |

Suitable for

- 10.8 V
- 12.0 V

Bosch cordless tools range
(Tubular battery version)

MRP: ₹ 2,625

BATTERY

GBA 18 V 2.0 Ah Professional



Technical Specifications

| | |
|------------------|---------------|
| HSN code | 85076000 |
| Part no. | 1 600 A00 1CG |
| Battery voltage | 18 V |
| Battery capacity | 2 Ah |
| Weight | 300 g |

Suitable for

- All 18 V

Bosch cordless tools range

MRP: ₹ 4,910

BATTERY

GBA 18 V 4.0 Ah Professional



Technical Specifications

| | |
|------------------|---------------|
| HSN code | 85076000 |
| Part no. | 1 600 A00 163 |
| Battery voltage | 18 V |
| Battery capacity | 4 Ah |
| Weight | 600 g |

Suitable for

- All 18 V

Bosch cordless tools range

MRP: ₹ 7,450

CHARGER

GAL 12 V-40 Professional



Technical Specifications

| | |
|--------------------|----------------------|
| HSN code | 85044030 |
| Part no. | 1 600 A01 B8X |
| Charge current A | 4 |
| Charging time min | 24 min |
| Input voltage(s) V | 230 |
| Model | Li-Ion quick charger |
| Weight, approx. | 0.4 kg |

Suitable for charging of

- 10.8 V
- 12.0 V

Bosch tubular batteries

MRP: ₹ 2,805

CHARGER

GAL 1860 CV Professional

2



*Product available till stock last

Technical Specifications

| | |
|-------------------|---|
| HSN code | 85044030 |
| Part no. | 1 600 A00 1DH |
| Charge current | 6 A |
| Charging time min | 45 min |
| Input voltage(s) | 230 V |
| Country version | EU |
| Model | Li-Ion quick charger |
| Charge monitoring | Constant-Current, Constant-Voltage charging control |

Weight, approx. 765 g

MRP: ₹ 4,250

Suitable for charging of

- 14.4 V
- 18.0 V

Bosch batteries

CHARGER

GAL 18V-40 Professional


CHARGERS/
BATTERIES

COMING
SOON



BOSCH HAMMER

DEMOLITION
HAMMERS



DEMOLITION HAMMER < 5 KG

GSH 500 Professional



Technical Specifications

| | |
|----------------------------|-----------------|
| HSN code | 84672100 |
| Part no. | 0 611 338 6F0 |
| Input Power | 1100 W |
| Impact Rate at rated speed | 2900 bpm |
| Impact Energy | 7.8 J |
| Toolholder | 17 Hex mm |
| Side Handle | Straight Handle |
| Weight | 5.5 kgs. |

Scope of supply:
Auxiliary handle;
1 Chisel; Carry case

MRP: ₹ 21,680



DEMOLITION HAMMER < 5 KG

New! GSH 500 MAX Professional



Technical Specifications

| | |
|----------------------------|-----------------|
| HSN code | 84672100 |
| Part no. | 0 611 338 7F0 |
| Input Power | 1100 W |
| Impact Rate at rated speed | 2900 bpm |
| Impact Energy | 7.8 J |
| Toolholder | SDS MAX |
| Side Handle | Straight Handle |
| Weight | 5.7 kgs. |

Scope of supply:
Auxiliary handle;
1 Chisel, Carry case

MRP: ₹ 26,880



DEMOLITION HAMMER < 5 KG

GSH 5 Professional



Technical Specifications

| | |
|----------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 611 337 0K0 |
| Rated power input | 1100 W |
| Impact energy | 7.5 J |
| Rated speed | 2850 bpm |
| Weight without cable | 5.6 kgs. |

*with vario lock feature for chisel adjustment

Scope of supply:
Pointed chisel; Carry case;
Cleaning cloth; Grease tube;
Straight handle

MRP: ₹ 36,100



DEMOLITION HAMMER < 11 KG

GSH 11 E Professional



Technical Specifications

| | |
|---------------|----------------|
| HSN code | 84672100 |
| Part no. | 0 611 316 8F0 |
| Power input | 1500 W |
| Impact rate | 900 - 1890 bpm |
| Impact energy | 16.8 J |
| Weight | 10.1 kgs. |

Scope of supply:
Auxiliary handle; Carry case;
Grease tube; RTec pointed chisel

MRP: ₹ 46,990



DEMOLITION HAMMER < 11 KG


GSH 11 VC Professional



Technical Specifications

| | |
|----------------------------|----------------|
| HSN code | 84672100 |
| Part no. | 0 611 336 000 |
| Power input | 1700 W |
| Impact energy | 23 J |
| Impact rate at rated speed | 900 - 1700 bpm |
| Weight without cable | 11.4 kgs. |

Scope of supply:
Auxiliary handle; Carrying case;
Grease tube; Machine cloth;
Pointed chisel



MRP: ₹ 76,825



DEMOLITION HAMMER > 16 KG

GSH 16-30 Professional



Technical Specifications

| | |
|---------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 611 335 1F0 |
| Power input | 1750 W |
| Impact rate | 1300 bpm |
| Impact energy | 41 J |
| Weight | 16.5 kgs. |

Scope of supply:
Carrying handle; Trolley;
Grease tube; Machine cloth;
Pointed chisel



MRP: ₹ 1,14,105



DEMOLITION HAMMER > 27 KG

GSH 27 VC Professional



Technical Specifications

| | |
|----------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 611 30A 000 |
| Rated power input | 2000 W |
| Impact energy | 62 J |
| Impact rate at rated speed | 1000 bpm |
| Weight | 29.5 kgs. |

Scope of supply:
Paper box;
Plastic Bags



MRP: ₹ 2,28,840



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|---------------------|
| HSN code | 84672100 |
| Part no. | 0 611 258 3F2 |
| Rated power input | 550 |
| Impact energy | 1.7 J |
| Impact rate at rated speed | 0 - 3960 |
| Rated speed | 0 - 1550 |
| Drilling dia. in concrete | 4 - 20 mm |
| Max. drilling dia. in steel | 13 mm |
| Max. drilling dia. in wood | 30 mm |
| Weight | 2.3 kgs. |
| Scope of supply: | MRP: ₹ 8,360 |
| Auxiliary Handle; Depth Gauge; Carry case | |

GBH 200 Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 250 655 |
| Drilling dia. in concrete | 4 - 22 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 30 mm |
| Core bits masonry | 68 mm |
| Power input | 620 W |
| No-load speed | 0 - 1000 rpm |
| Single impact energy | 0 - 2.2 J |
| Weight | 2.3 kgs. |
| Scope of supply: | MRP: ₹ 11,895 |
| Auxiliary Handle; Depth Gauge; Carry case | |

GBH 2-22 E Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 250 755 |
| Drilling dia. in concrete | 4 - 22 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 30 mm |
| Core bits masonry | 68 mm |
| Power input | 620 W |
| No-load speed | 0 - 1000 rpm |
| Single impact energy | 2.2 J |
| Weight | 2.3 kgs. |
| Scope of supply: | MRP: ₹ 12,395 |
| Auxiliary Handle; Depth Gauge; Carry case | |

GBH 2-22 RE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|---|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 272 1K6 |
| Power input | 790 W |
| Impact Energy | 2.7 J |
| Drilling Capacity | 24 mm |
| No-load speed | 1300 rpm |
| Impact Rate | 4200 bpm |
| Weight | 2.8 kgs. |
| Scope of supply: | MRP: ₹ 14,100 |
| 13 mm Drill chuck; SDS, Adapter; Carry Case | |

GBH 2-24 DRE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 251 655 |
| Drilling dia. in concrete | 4 - 26 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 30 mm |
| Core bits masonry | 68 mm |
| Power input | 800 W |
| No-load speed | 0 - 900 rpm |
| Single impact energy | 0 - 3 J |
| Weight | 2.7 kgs. |
| Scope of supply: | MRP: ₹ 16,130 |
| Auxillary Handle; Depth Gauge; Carry case | |

GBH 2-26 E Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 251 755 |
| Drilling dia. in concrete | 4 - 26 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 30 mm |
| Core bits masonry | 68 mm |
| Power input | 800 W |
| No-load speed | 0 - 900 rpm |
| Single impact energy | 0 - 3 J |
| Weight | 2.7 kgs. |
| Scope of supply: | MRP: ₹ 16,380 |
| Auxillary Handle; Depth Gauge; Carry case | |

GBH 2-26 RE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 253 755 |
| Drilling dia. in concrete | 4 - 26 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 30 mm |
| Core bits masonry | 68 mm |
| Power input | 800 W |
| No-load speed | 0 - 900 rpm |
| Single impact energy | 2.7 J |
| Weight | 2.7 kgs. |
| Scope of supply: | MRP: ₹ 17,655 |
| Auxillary Handle; Depth Gauge; Carry case | |

GBH 2-26 DRE Professional



ROTARY HAMMER 1-2 KG



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672100 |
| Part no. | 0 611 267 1F0 |
| Drilling dia. in concrete | 4 - 28 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 30 mm |
| Core dia. masonry | 68 mm |
| Rated power input | 850 W |
| No-load speed | 0 - 1300 rpm |
| Impact rate at rated speed | 0 - 5100 bpm |
| Impact energy | 0 - 3.2 J |
| Weight | 2.9 kgs. |
| Scope of supply: | MRP: ₹ 19,555 |
| Auxillary Handle; Depth Gauge; Carry case | |


GBH 2-28 DV Professional



ROTARY HAMMER 3 KG



*Product available till stock last



Technical Specifications

| | |
|---------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 611 23A 0K0 |
| Drilling dia. in concrete | 4 - 28 mm |
| Drilling dia. in steel | 13 mm |
| Core bits masonry | 82 mm |
| Power input | 800 W |
| No-load speed | 0 - 900 rpm |
| Single impact energy | 0 - 3.5 J |
| Weight | 3.5 kgs. |

Scope of supply:

Auxiliary Handle; Carry case;
Depth stop

MRP: ₹ 28,775

GBH 3-28 DRE Professional



ROTARY HAMMER 4 KG



Technical Specifications

| | |
|---------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 611 332 1F0 |
| Drilling dia. in concrete | 6 - 32 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in wood | 32 mm |
| Power input | 900 W |
| No-load speed | 0 - 800 rpm |
| Impact rate | 0 - 3600 bpm |
| Impact energy | 4.2 J |
| Weight | 4.7 kgs. |

Scope of supply:

Auxiliary Handle; Carry case;
Depth stop;
SDS-plus quick-change chuck

MRP: ₹ 36,450

GBH 4-32 DFR Professional



ROTARY HAMMER 5 KG AND MORE



Technical Specifications

| | |
|----------------------------|-----------------|
| HSN code | 84672100 |
| Part no. | 0 611 269 0K0 |
| Drilling dia. in concrete | 12 - 40 mm |
| Rated power input | 1,100 W |
| Impact energy | 8.5 J |
| Impact rate at rated speed | 1500 - 2900 bpm |
| Rated speed | 170 - 340 rpm |
| No-load speed | 0 - 760 rpm |
| Weight | 6.8 kgs. |

Scope of supply:


Carrying cases; Cleaning cloth;
Grease tube; Auxiliary handle

MRP: ₹ 48,625

GBH 5-40 D Professional



ROTARY HAMMER 5 KG



Technical Specifications

| | |
|---|-----------------|
| HSN code | 84672100 |
| Part no. | 0 611 265 0K0 |
| Rated power input | 1500 W |
| Impact energy | 12.5 J |
| Impact rate at rated speed | 1380 - 2760 bpm |
| Rated speed | 0 - 305 rpm |
| Drilling dia. concrete, hammer drill bits | 12 - 45 mm |
| Optimum range of applications in 20 - 40 mm concrete with hammer drill bits | |
| Drilling dia. in concrete with 80 mm breakthrough drill bits | |
| Weight without cable | 8.9 kgs. |

Scope of supply:

Grease tube; Cleaning cloth;
Carrying case

MRP: ₹ 88,225

GBH 8-45 DV Professional





Technical Specifications

| | |
|--|-----------------|
| HSN code | 84672900 |
| Part no. | 0 611 266 000 |
| Input Power | 1700 W |
| Max. impact energy | 19 J |
| Impact rate at rated speed | 1750 - 2150 bpm |
| Rated speed | 0 - 220 rpm |
| Drilling dia. in concrete with hammer drill bits | 12 - 52 mm |
| Weight | 11.9 kgs. |



Scope of supply:
Carrying case, Grease tube;
Machine cloth;
Auxiliary handle

MRP: ₹ 1,05,475



DIAMOND DRILL

GDB 180 WE Professional



Technical Specifications

| | |
|-----------------------------|--------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 189 800 |
| Rated power input | 2000 W |
| Drilling range | 180 mm |
| Suitability | Wet drilling in concrete |
| Concrete, possible range | 180 mm |
| Masonry, possible range | 180 mm |
| Vibration emission value ah | 4.8 m/s ² |
| Weight without cable | 5.2 kgs. |
| Scope of supply: | |
| Adapter dust extraction; | MRP: ₹ 1,59,400 |
| Ball valve; Carry case | |



DIAMOND DRILL

GCR 180 Professional



Technical Specifications

| | |
|------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 190 100 |
| Drilling diameter | 180 mm |
| Working length, Z-axis | 455 mm |
| Column length | 767 mm |
| Drill stroke | 514 mm |
| Weight | 9.5 kgs. |

MRP: ₹ 1,18,495



DIAMOND DRILL

GDB 350 WE Professional



Technical Specifications

| | |
|--------------------------|--------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 189 900 |
| Rated power input | 3200 W |
| Drilling range | 350 mm |
| Suitability | Wet drilling in concrete |
| Concrete, possible range | 350 mm |
| Weight without cable | 11.9 kgs. |

Scope of supply:
Water coupling

MRP: ₹ 2,40,715



DIAMOND DRILL

GCR 350 Professional



Technical Specifications

| | |
|------------------------|---------------|
| HSN code | 84679900 |
| Part no. | 0 601 190 200 |
| Drilling diameter | 350 mm |
| Working length, Z-axis | 550 mm |
| Column length | 955 mm |
| Drill stroke | 580 mm |
| Weight | 12.6 kgs. |

Scope of supply:
Adapter for GDB 350 WE
diamond drill

MRP: ₹ 1,61,805



DIAMOND/STONE CUTTER

GDC 120 Professional



Technical Specifications

| | |
|------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 393 0F1 |
| Rated power input | 1200 W |
| No-load speed | 12000 rpm |
| Tool blade | 4 inch |
| Cutting depth (at 90°) | 34 mm |
| Cord length | 1.5 m |
| Net weight | 2.5 kgs. |



MRP: ₹ 4,895



DIAMOND/STONE CUTTER

GDC 121 Professional



Technical Specifications

| | |
|-------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 393 1F1 |
| Rated power input | 1250 W |
| No-load speed | 12000 rpm |
| Tool blade | 5 inch |
| Depth of cut | 40 mm |
| Cord length | 1.5 m |
| Net weight | 3 kgs. |



MRP: ₹ 5,425



DIAMOND/STONE CUTTER

New! GDC 155 Professional



Technical Specifications

| | |
|----------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 3A0 2F0 |
| Rated power input | 1,550 W |
| No-load speed | 8,600 rpm |
| Max. cutting disc diameter | 150 / 155 mm |
| Max. cutting depth | 45 / 47 mm |
| Weight | 3.7 kg |



MRP: ₹ 6,350



BLOWER



Technical Specifications

| | |
|----------------------|-------------------------|
| HSN code | 84145920 |
| Part no. | 0 601 980 5F0 |
| Power input | 620 W |
| No-load speed | 16000 rpm |
| Volumetric flow rate | 3.5 m ³ /min |
| Standard Accessories | 1 Nozzle |
| Weight without cable | 1.7 kgs. |

MRP: ₹ 3,655

GBL 620 Professional



6

BLOWER



Technical Specifications

| | |
|---------------|-------------------------|
| HSN code | 85081100 |
| Part no. | 0 601 980 4F5 |
| Input power | 820 W |
| No-load speed | 16000 rpm |
| Flow rate | 4.5 m ³ /min |
| Weight | 2.25 kgs. |

Scope of supply:
50 mm nozzle,
Extension nozzle, Borehole
nozzle, Dust bag

MRP: ₹ 6,035

GBL 82-270 Professional



HEAT GUN



Technical Specifications

| | |
|----------------------|---------------------|
| HSN code | 84672900 |
| Part no. | 0 601 94D 0F0 |
| Power input | 1800 W |
| Max Temperature | 60 / 350 / 550° C |
| Air Flow Rate | 350 / 350 / 550 lpm |
| Over-heat protection | Yes |
| Weight | 0.75 kg |

Scope of supply:
Reducing nozzle

MRP: ₹ 3,155

GHG 180 Professional



HEAT GUN



Technical Specifications

| | |
|------------------------------|---------------------|
| HSN code | 84672900 |
| Part no. | 0 601 2A6 2K0 |
| Power input | 2,000 W |
| Temperature range | 50-630°C |
| Adjustable temperature steps | Yes |
| Air flow rate | 150 - 500 litre/min |
| Durability | 600 h |
| Weight | 0.65 kg |

Scope of supply:
Glass protection nozzle,
Surface nozzle, Welding glove,
Reduction nozzle,
Reflection nozzle

MRP: ₹ 9,110

GHG 20-63 Professional




HEAT GUN



Technical Specifications

| | |
|-------------------------------------|-----------------------|
| HSN code | 84672900 |
| Part no. | 0 601 2A6 400 |
| Power input | 2,000 W |
| Temperature max | 50-630°C |
| Adjustable temp steps | Yes |
| Air flow rate | ~ 150 / 500 litre/min |
| Infinitely variable airflow control | No |
| Durability | 500-750 h |
| Weight | 0.55 kg |
| Scope of supply: | |
| Glass protection nozzle | MRP: ₹ 10,440 |

GHG 20-60 Professional



METAL SURFACE FINISH



Technical Specifications

| | |
|----------------------------|---------------------|
| HSN code | 84672900 |
| Part no. | 0 601 3A2 0F0 |
| Power | 950 W |
| Variable Speed | 600 - 2100 rpm |
| Grinding spindle thread | M14 |
| Stick pad diameter | ø165 mm |
| Max. accessory diameter | 180 mm |
| Weight | 2.3 kgs. |
| Scope of supply: | |
| Sponge pad; Stick pad; | |
| M14 & M16 adaptor; Wrench; | MRP: ₹ 9,780 |
| Aux handle; Aux plate | |

GPO 950 Professional



METAL SURFACE FINISH



***Product available till stock last**



Technical Specifications

| | |
|--|----------------------|
| HSN code | 84672900 |
| Part no. | 0 601 389 0F0 |
| No-load speed | 750 - 3000 rpm |
| Grinding spindle thread | M 14 |
| Rubber sanding plate | 180 mm |
| Power input | 1250 W |
| Weight | 2.5 kgs. |
| *Package doesn't contain polishing pad | |
| Scope of supply: | |
| M14/M16 adaptor; | MRP: ₹ 14,905 |
| Auxiliary handle; Spacer disc; | |
| Auxiliary D-handle; Wrench | |

GPO 12 CE Professional



METAL SURFACE FINISH



Technical Specifications

| | |
|--------------------------------|----------------------|
| HSN code | 84672900 |
| Part no. | 0 601 389 0F1 |
| No-load speed | 750 - 3000 rpm |
| Grinding spindle thread | M 14 |
| Rubber sanding plate | 180 mm |
| Power input | 1250 W |
| Weight | 2.5 kgs. |
| Scope of supply: | |
| M14/M16 adaptor; | MRP: ₹ 15,710 |
| Auxiliary handle; Spacer disc; | |
| Auxiliary D-handle; | |
| Wrench; Polishing pads | |

GPO 12 CE (Promo) Professional



RECIPSAW

New! GSA 120 Professional

6

Technical Specifications




| | |
|-----------------------------|--------------------|
| HSN code | 84672200 |
| Part no. | 0601 6B1 0K0 |
| Power input | 1,200 W |
| Stroke rate | 0 - 3,000 per min. |
| Stroke length | 29 mm |
| Blade change | SDS |
| Max. cutting depth in wood | 220 mm |
| Max. cutting depth in metal | 20 mm |
| Weight | 3.7 kgs. |

Scope of supply:

1 x reciprocating saw blade
S 1126 BEF, Allen key

MRP: ₹ 16,075



VACUUM CLEANER

New! GAS 15 PS Professional

Technical Specifications



| | |
|-----------------------|---------------|
| HSN code | 85081100 |
| Part no. | 0 601 9E5 1K0 |
| Power input | 1100 W |
| Container (gross/net) | 15/8 L |
| Max. Airflow | 53 L/Sec |
| Max. Vacuum Pressure | 270 mbar |
| Weight | 6 kgs. |

* Tool Socket for connecting Power Tools.

Scope of supply:

Crevice nozzle; Carton box;
3m anti-static hose; Elbow;
Tubes (2pcs); Plastic bags;
Floor nozzle set

MRP: ₹ 17,600



VACUUM CLEANER

GAS 12-25 Professional

Technical Specifications



| | |
|---------------------------|---------------|
| HSN code | 85081100 |
| Part no. | 0 601 97C 0F0 |
| Power input | 1250 W |
| Vacuum Pressure | 200 mbar |
| Air Flow | 63 L/Sec |
| Dust Tank Capacity Gross | 25 L |
| Tank Capacity Net Dry/Wet | 21/16 L |
| Main Filter Class | H13 HEPA |

Scope of supply:

3M Hose; Elbow; Crevice nozzle,
Floor nozzle set; Adapter;
Tubes (2 pcs);
Plastic bags (5 pcs)

MRP: ₹ 20,755



VACUUM CLEANER

GAS 35 L SFC Professional

Technical Specifications



| | |
|---------------------------------|-----------------------|
| HSN code | 85081100 |
| Part no. | 0 601 9C3 060 |
| Max. power input (Turbine) | 1380 W |
| Container volume, gross | 35 L |
| Container volume, net | 23 L |
| Container volume, net, water | 19.2 L |
| Filter surface area | 6,150 cm ² |
| Max. volume flow rate (Turbine) | 74 L/sec |
| Max. vacuum pressure (Turbine) | 254 mbar |
| Weight | 11.6 kgs. |

Scope of supply:

Brown box; Hose with BIA
nozzle 3 m, 35 mm diameter;
Elbow; Crevice nozzle;
Floor nozzle set; Disposal bag;
Tool sleeve; SFC+ module

MRP: ₹ 67,620



*Tool Socket for connecting Power Tools.



VACUUM CLEANER

GAS 55 M AFC Professional



Technical Specifications

| | |
|---------------------------------|-----------------------|
| HSN code | 85081100 |
| Part no. | 0 601 9C3 360 |
| Max. power input (Turbine) | 1380 W |
| Container volume, gross | 55 L |
| Container volume, net | 43 L |
| Container volume, net, water | 40 L |
| Filter surface area | 6.150 cm ² |
| Max. volume flow rate (Turbine) | 74 L/sec |
| Max. vacuum pressure (Turbine) | 254 mbar |
| Weight | 16.2 kgs. |

*Tool Socket for connecting Power Tools.
 Scope of supply:
 5 m anti-static hose; Elbow; **MRP: ₹ 1,03,280**
 Crevice nozzle; Floor nozzle set;
 Disposal bag; Tool sleeve



OSCILLATING TOOL

GOP 30-28 Professional



Technical Specifications

| | |
|-------------------------------------|------------------|
| HSN code | 84672900 |
| Part no. | 0 601 237 0F0 |
| Rated power input | 300 W |
| No-load oscillation | 8000 - 20000 opm |
| Oscillation angle on left and right | 1.4° |
| Weight | 1.5 kgs. |

Scope of supply: **MRP: ₹ 20,755**
 Carrying case; 1 set sanding sheet,
 Grit 2x80, Grit 2x120, Grit 1x240; Starlock
 BIM segment saw blade ACZ 85 EB, Wood &
 Metal; Starlock BIM plunge cut saw blade
 AIZ 32 APB, Wood & Metal, Curved-Tec;
 Starlock sanding plate AVZ 93 G Professional



WALL CHASER

GNF 35 CA Professional



*Product available till stock last



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 621 703 |
| Adjustable groove depth | 0 - 35 mm |
| Groove width | 3 - 39 mm |
| Disc diameter | 150 mm |
| Power input | 1400 W |
| No-load speed | 9300 rpm |
| Weight | 4.1 kgs. |

Scope of supply:
 Break-out tool; Two-hole spanner,
 Carrying cases; Round nut;
 Backing flange; 3 spacers 4 mm; **MRP: ₹ 63,455**
 4 spacers 6 mm



CONCRETE VIBRATOR

GVC 22 EX Professional



*Product available till stock last



Technical Specifications

| | |
|---------------------------|---------------|
| HSN code | 84678920 |
| Part no. | 0 601 283 1F1 |
| Input Power | 2200 W |
| Voltage | 220/230 V |
| Vibration per minute | 20000 vpm |
| Diameter of vibrator head | 35 mm |
| Hose Length | 3.5 m |
| Relation Power/weight | 550 |
| Weight | 4 kgs. |

*Tool comes with 1 No. 3.5m x 35mm nose with needle
 Scope of supply:
 Needle 3.5 m with
 35 mm diameter **MRP: ₹ 1,01,105**





ROTARY & IMPACT DRILLS



ROTARY DRILL

New! GBM 350 Professional

7

DRILLS



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 1A9 5F1 |
| Power input | 350 W |
| No-load speed | 0 - 2800 rpm |
| Drilling capacity steel | 10 mm |
| Drilling capacity wood | 20 mm |
| Electronic switch | Yes |
| Reversible | Yes |
| Weight | 1.2 kg |

Scope of supply:
Keyed chuck 10 mm

MRP: ₹ 2,690



ROTARY DRILL

GBM 13 RE Professional



Technical Specifications

| | |
|----------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 477 5F0 |
| Power input | 600 W |
| No-load speed | 0 - 2600 rpm |
| Chuck capacity | 1.5 - 13 mm |
| Drilling dia. in steel | 13 mm |
| Drilling dia. in aluminium | 13 mm |
| Drilling dia. in wood | 30 mm |
| Weight | 1.7 kgs. |

Scope of supply:
Keyed chuck 13 mm

MRP: ₹ 5,535



ROTARY DRILL

GBM 13-2 Professional



Technical Specifications

| | |
|----------------------------|-------------------|
| HSN code | 84672100 |
| Part no. | 0 601 169 055 |
| Power input | 550 W |
| No-load speed | 0 - 1000/1900 rpm |
| Chuck capacity | 1 - 13 mm |
| Drilling dia. in steel | 13/8 mm |
| Drilling dia. in aluminium | 20/12 mm |
| Drilling dia. in wood | 32/20 mm |
| Weight | 1.9 kgs. |

Scope of supply:
Auxiliary handle; Depth stop;
Keyed chuck

MRP: ₹ 10,800



ROTARY DRILL / STIRRER

GBM 1600 RE Professional



Technical Specifications

| | |
|------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 1B0 0K0 |
| Power input | 850 W |
| No-load speed | 0 - 630 rpm |
| Rated torque | 11 Nm |
| Lock-on Button | Yes |
| Stirrer capacity | 160 mm |
| Wood Drilling | 40 mm |
| Metal Drilling | 16 mm |
| Weight | 3 kgs. |

Scope of supply:
Auxiliary handle

MRP: ₹ 13,015



ROTARY DRILL



*Product available till stock last



Technical Specifications

| | |
|----------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 121 103 |
| Power input | 1050 W |
| Drilling dia. in steel | 23 / 13 mm |
| Drilling dia. in aluminium | 28 / 18 mm |
| Drilling dia. in wood | 50 / 35 mm |
| Weight | 3.7 kgs. |

Scope of supply:
Auxiliary handle

MRP: ₹ 68,840

GBM 23-2 Professional



ROTARY DRILL



*Product available till stock last



Technical Specifications

| | |
|----------------------------|------------------------------|
| HSN code | 84672100 |
| Part no. | 0 601 130 203 |
| Power input | 1500 W |
| No-load speed | 210 / 330 / 470 / 740 rpm |
| Drilling dia. in steel | 32 mm |
| Drilling dia. in aluminium | 50 mm |
| Drilling dia. in wood | 70 mm |
| Weight | 7.3 kgs. |

Scope of supply:
Carry case; Drift;
Auxiliary handle

MRP: ₹ 85,350

GBM 32-4 Professional



ROTARY DRILL



*Product available till stock last



Technical Specifications

| | |
|--------------------------|---------------|
| HSN code | 84679900 |
| Part no. | 0 601 193 003 |
| Power input | 95 W |
| Magnet retention force | 25 kN |
| Clamping flange diameter | 65 mm |
| Working length, Z-axis | 223 mm |
| Twist drill bit diameter | 32 mm |
| Weight | 26.0 kgs. |

Scope of supply:
Carry case

MRP: ₹ 194,655

GMB 32 Professional



ROTARY DRILL



Technical Specifications

| | |
|------------------|----------------------|
| HSN code | 84672100 |
| Part no. | 0 601 1B4 0F0 |
| Power input | 1,200 W |
| No-load speed | 50-255 / 100-510 rpm |
| Annular cutter | Ø 50 mm |
| Max. twist drill | Ø 23 mm |
| Max. thread | M16 |
| Magnetic force | 14,000 N |
| Weight | 14.7 kgs. |

Scope of supply:
Carry case; MT2 drill drift; Hey key; Safety Strap, Reduction sleeve; Pilot pin, Adaptor for annular cutter, Cooling tank with hose; cooling tank holder

MRP: ₹ 101,760

New! GBM 50-2 Professional



IMPACT DRILL < 500W



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 216 1FK |
| Input Power | 450 W |
| Impact Rate | 0 - 41600 bpm |
| No-load speed | 0 - 2600 rpm |
| Max. Drill Capacity: Concrete | 10 mm |
| Max. Drill Capacity: Steel | 8 mm |
| Max. Drill Capacity: Wood | 20 mm |
| Weight | 1.5 kgs. |

MRP: ₹ 3,205

GSB 450 Professional



IMPACT DRILL < 500W



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 216 1FL |
| Input Power | 450 W |
| Impact Rate | 0 - 41600 bpm |
| No-load speed | 0 - 2600 rpm |
| Max. Drill Capacity: Concrete | 10 mm |
| Max. Drill Capacity: Steel | 8 mm |
| Max. Drill Capacity: Wood | 20 mm |
| Weight | 1.5 kgs. |

Scope of supply:
4 Pcs Concrete Drill Bits, 4 Pcs Metal Drill Bits, 10 Pcs Screw-driver Bits, 4 Pcs Wood Drill Bits

MRP: ₹ 3,915

GSB 450 Wrap Set Professional



IMPACT DRILL < 500W



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 216 1FD |
| Input Power | 500 W |
| Output power | 250 W |
| No-load speed | 0 - 2600 rpm |
| Impact Rate | 0 - 25700 bpm |
| Rated torque | 1.5 Nm |
| Max. Drill Capacity: Concrete | 13 mm |
| Max. Drill Capacity: Steel | 10 mm |
| Max. Drill Capacity: Wood | 25 mm |
| Weight | 1.5 kgs. |

MRP: ₹ 3,630

GSB 501 Professional



IMPACT DRILL 1G > 500W



Technical Specifications

| | |
|------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 217 1F3 |
| Rated input power | 600 W |
| No-load speed | 0 - 2800 rpm |
| Impact rate at no-load speed | 0 - 44800 bpm |
| Chuck capacity | 13 mm |
| Weight | 1.8 kgs. |

Scope of supply:
Auxiliary Handle; Depth Gauge; Keyed chuck 13 mm

MRP: ₹ 5,795

GSB 13 RE Professional



IMPACT DRILL 1G > 500W



Technical Specifications

| | |
|------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 228 1K0 |
| Rated input power* | 750 W |
| No-load speed | 0 - 3250 rpm |
| Chuck capacity | 13 mm |
| Impact rate at no-load speed | 0 - 48500 bpm |
| Weight | 1.8 kgs. |

Scope of supply:
Auxiliary handle; Chuck key;
Depth gauge

MRP: ₹ 9,115

GSB 16 RE Professional



IMPACT DRILL 2G CLAM



Technical Specifications

| | |
|---|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 1A2 1F1 |
| Power input | 800 W |
| No-load speed(1 st /2 nd Gear) | 1100/3000 rpm |
| Impact Rate | 48000 bpm |
| Max. Drilling dia.(1 st /2 nd gear) | |
| Brickwork | 20/16 mm |
| Steel | 13/6 mm |
| Wood | 40/25 mm |
| Weight | 2.6 kgs. |

Scope of supply:
Auxiliary handle; Chuck key;
Depth gauge

MRP: ₹ 13,885

GSB 20-2 RE Professional



IMPACT DRILL < 500W



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 216 1F4 |
| Power input | 500 W |
| No-load speed | 0 - 2600 rpm |
| Impact rate at no-load speed | 0 - 41600 bpm |
| Drilling dia. in masonry wall | 10 mm |
| Drilling dia. in steel | 8 mm |
| Drilling dia. in wood | 20 mm |
| Chuck capacity | 1 - 10 mm |
| Weight | 1.5 kgs. |

Scope of supply:
Keyed chuck 10 mm;
100 pcs accessory set

MRP: ₹ 6,030

GSB 10 RE Kit Professional



IMPACT DRILL 1G > 500W



Technical Specifications

| | |
|--------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 217 1F6 |
| Power input | 600 W |
| No-load speed | 0 - 2800 rpm |
| Impact rate | 48000 bpm |
| Drilling dia. in masonry | 13 mm |
| Drilling dia. in wood | 25 mm |
| Drilling dia. in steel | 10 mm |
| Weight | 1.6 kgs. |

Scope of supply:
Auxiliary Handle; Depth Gauge;
Keyed chuck 13 mm;
100 pcs accessory set

MRP: ₹ 7,605

GSB 13 RE Kit Professional



IMPACT DRILL 1G > 500W

GSB 550 (XL Kit) Professional



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 1A1 5F3 |
| Input power | 550 W |
| Rated power input | 0 - 2800 rpm |
| Impact rate | 0 - 41800 bpm |
| Drilling capacity in concrete | 13 mm |
| Drilling capacity steel/wood | 10/25 mm |

Scope of supply:

5 x masonry drill bits; 5 x wood drill bits;
8 x hex keys; 10 x CRV bits 50 mm;
18 x sockets; 7 x wrenches; Magnetic bit holder; Cutter; Hammer; Cross screwdriver; Flat screwdriver; Pliers; Long nose pliers; Adapter; Socket wrench; Screw set; Wall plug set

MRP: ₹ 7,595



IMPACT DRILL 1G > 500W

GSB 550 (Freedom Kit) Professional




Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 1A1 5F1 |
| Input power | 550 W |
| Rated power input | 0 - 2800 rpm |
| Impact rate | 0 - 41800 bpm |
| Drilling capacity in concrete | 13 mm |
| Drilling capacity steel/wood | 10/25 mm |


Scope of supply:

4 x masonry drill bits;
4 x wood drill bits;
2 x PH2 screw bits; Screw set;
Wall plug set

MRP: ₹ 5,545



CHOPSAWS



**HEAVY
DUTY**

BENCH TOP CUT-OFF SAW



Technical Specifications

| | |
|----------------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 B37 3F0 |
| Input power | 2200 W |
| No-load speed | 3800 rpm |
| Disc dia. | 355 mm |
| Cutting capacity rectangle | 100 x 196 mm |
| Cutting capacity square | 119 x 119 mm |
| Cutting capacity round | 129 x 129 mm |
| Cutting capacity L-profile | 130 x 130 mm |
| Weight | 14 kgs. |

Scope of supply: **MRP: ₹ 14,110**
Cutting disc

GCO 220 Professional



BENCH TOP CUT-OFF SAW



Technical Specifications

| | |
|----------------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 B37 1F0 |
| Input power | 2400 W |
| Cutting capacity rectangle | 100 x 196 mm |
| Cutting capacity square | 119 x 119 mm |
| Cutting capacity L-profile | 130 x 130 mm |
| No-load speed | 3,800 rpm |
| Disc dia. | 355 mm |
| Weight | 17.5 kgs. |

Scope of supply: **MRP: ₹ 17,470**
Cutting disc

GCO 14-24 Professional



BENCH TOP CUT-OFF SAW



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 B37 2F0 |
| Rated power input | 2,400 W |
| No-load speed | 3800 rpm |
| Saw blade diameter | 355 mm |
| Saw blade bore | 25.4 mm |
| Cutting capacity at rectangle | 100 x 196 mm |
| Cutting capacity at square | 119 x 119 mm |
| Cutting capacity at L-profile | 130 x 130 mm |
| Weight | 18.1 kgs. |

Scope of supply: **MRP: ₹ 19,140**
Cutting disc

GCO 14-24J (Soft-Start) Professional



SMALL ANGLE GRINDER 4"



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 375 05F |
| Power input | 670 W |
| No-load Speed | 11000 rpm |
| Grinding Spindle Thread | M 10 |
| Disc dia. | 100 mm |
| Weight | 1.8 kgs. |

Scope of supply:
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 3,225

GWS 600 Professional



SMALL ANGLE GRINDER 4"



Technical Specifications

| | |
|---------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 394 0F0 |
| Power input | 750 W |
| Disc dia. | 100 mm |
| No Load Speed | 11000 rpm |
| Spindle dia | M 10 |
| Weight | 1.8 kgs. |

Scope of supply:
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 4,355

GWS 750-100 Professional



MINI GRINDER 4" + 3 GRINDING DISCS



*Limited Period Offer

Technical Specifications

| | |
|---------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 394 0F2 |
| Power input | 750 W |
| Disc dia. | 100 mm |
| No Load Speed | 11000 rpm |
| Weight | 1.8 kgs. |

*with carton box

+ 4" Grinding Discs (3 No.) - 100 x 6 x 16 mm

Scope of supply:
3 Nos 100mm Grinding disc,
Auxiliary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 4,370

GWS 750-100 Professional



SMALL ANGLE GRINDER 4"



Technical Specifications

| | |
|-------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 396 0F0 |
| Rated power input | 900 W |
| Disc dia. | 100 mm |
| No load Speed | 11000 rpm |
| Spindle Dia | M 10 |
| Weight | 1.8 kgs. |

Scope of supply:
Wrench; Protective guard;
Auxiliary handle

MRP: ₹ 5,260

GWS 900-100 Professional



SMALL ANGLE GRINDER 5"

GWS 6-125 Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 375 15A |
| Rated power input | 670 W |
| No-load speed | 11000 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 125 mm |
| Weight without cable | 1.9 kgs. |

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 4,820



SMALL ANGLE GRINDER 5"

New! GWS 900-125 S Professional



Technical Specifications

| | |
|-------------------------|------------------|
| HSN code | 84672900 |
| Part no. | 0 601 396 1K2 |
| Rated input power | 900 W |
| No-load speed | 2800 - 11000 rpm |
| Disc diameter | 125 mm |
| Grinding spindle thread | M 14 |
| Weight | 1.9 kgs. |

Scope of supply:
Wrench;
Protective guard;
Auxillary handle

MRP: ₹ 6,840



SMALL ANGLE GRINDER 5"

GWS 14-125 CI Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 824 2F1 |
| Power input | 1,400 W |
| No-load Speed | 11000 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 125 mm |
| Weight without cable | 2.2 kgs. |

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 9,715



SMALL ANGLE GRINDER 5"

GWS 18-125 L Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 7A3 0K0 |
| Power input | 1800 W |
| No-load Speed | 11500 rpm |
| Grinding spindle thread | M1 4 |
| Disc dia. | 125 mm |
| Weight without cable | 2.5 kgs. |

Scope of supply:
Wrench; Protective guard;
Auxillary handle

MRP: ₹ 16,855



SMALL ANGLE GRINDER - CONCRETE

GBR 15 CAG Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 776 001 |
| Rated power input | 1500 W |
| No-load speed | 9300 rpm |
| Grinding spindle thread | M 14 |
| Grinding head, diameter | 125 mm |
| Weight | 2.6 kgs. |

*Tool comes with 1 No. Bosch Concrete grinding wheel

Scope of supply:

Clamp key; Carry case;
Diamond grinding head;
3 x replacement brush rings

MRP: ₹ 63,480



LARGE ANGLE GRINDER 7"

GWS 2000-180 Professional



*Product available till stock last

Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 8B7 0F0 |
| Power input | 2000 W |
| No-load speed | 8500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 180 mm |
| Weight without cable | 5.3 kgs. |

Scope of supply:

Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 9,620



LARGE ANGLE GRINDER 7"

GWS 22-180 Professional



*Product available till stock last

Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 881 AK0 |
| Rated power input | 2200 W |
| No-load speed | 8500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 180 mm |
| Weight without cable | 5 kgs. |

Scope of supply:

Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 12,965



LARGE ANGLE GRINDER 7"

New! GWS 2200-180 Professional




Technical Specifications

| | |
|-------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 8C0 0F0 |
| Rated power input | 2200 W |
| No-Load speed | 8500 rpm |
| Grinding spindle | M 14 |
| Disc dia. | 180 mm |
| Weight | 5.5 kgs. |

Scope of supply:

Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 10,950



LARGE ANGLE GRINDER 7"

GWS 24-180 H Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 853 455 |
| Power input | 2400 W |
| No-load speed | 8500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 180 mm |
| Weight without cable | 4.9 kgs. |

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 15,830



LARGE ANGLE GRINDER 7"

GWS 26-180 H Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 855 100 |
| Rated power input | 2600 W |
| No-load speed | 8500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 180 mm |

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 22,825



LARGE ANGLE GRINDER 9"

GWS 20-230 Professional



*Product available till stock last



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 850 155 |
| Power input | 2000 W |
| No-load speed | 6500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 230 mm |

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 11,870



LARGE ANGLE GRINDER 9"

New! GWS 2200-230 Professional



Technical Specifications

| | |
|-------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 8C0 1F0 |
| Rated power input | 2200 W |
| No-Load speed | 6500 rpm |
| Grinding spindle | M 14 |
| Disc diameter | 230 mm |
| Weight | 5.5 kgs. |

Scope of supply:
Auxillary handle; Guard;
Round nut; Pin spanner;
Clamping flange

MRP: ₹ 11,950



LARGE ANGLE GRINDER 9"

GWS 22-230 Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 882 AF0 |
| Power input | 2200 W |
| No-load speed | 6500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 230 mm |
| Weight without cable | 5.3 kgs. |

Scope of supply:
Auxiliary Handle; Guard;
Round nut; Pin Spanner;
Clamping Flange

MRP: ₹ 13,835



LARGE ANGLE GRINDER 9"

GWS 24-230 H Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 854 455 |
| Power input | 2,400 W |
| No-load speed | 6500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 230 mm |
| Weight without cable | 6 kgs. |

Scope of supply:
Auxiliary Handle; Guard;
Round nut; Pin Spanner;
Clamping Flange

MRP: ₹ 17,100



LARGE ANGLE GRINDER 9"

GWS 26-230 H Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 856 100 |
| Power input | 2600 W |
| No-load speed | 6500 rpm |
| Grinding spindle thread | M 14 |
| Disc dia. | 230 mm |
| Weight without cable | 5.2 kgs. |

Scope of supply:
Auxiliary Handle; Guard;
Round nut; Pin Spanner;
Clamping Flange

MRP: ₹ 23,225



LARGE ANGLE SANDER

GWS 22 U Professional



*Product
available till
stock last

Technical Specifications

| | |
|---------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 8A7 0F0 |
| Power input | 2200 W |
| No-load speed | 5700 rpm |
| Disc diameter | 180 mm |
| Shaft size | M 14 |
| Weight | 4.3 kgs. |

Scope of supply:
Auxiliary Handle; Round nut;
Rubber plate; Sanding disc;
Two Pin wrench

MRP: ₹ 16,850



STRAIGHT GRINDER

GGG 3000 L Professional



Technical Specifications

| | |
|-----------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 224 0F0 |
| Power input | 300 W |
| No-load speed | 0 - 28000 rpm |
| Collet chuck dia. max | 8 mm |
| Spindle collar dia. | 41 mm |
| Weight without cable | 1.5 kgs. |

Scope of supply:
Collet chuck; Lock nut;
Spanner

MRP: ₹ 8,835



STRAIGHT GRINDER

GGG 5000 L Professional



Technical Specifications

| | |
|------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 224 1F0 |
| Power input | 500 W |
| No-load speed | 33000 rpm |
| Collet chuck dia. max. | 8 mm |
| Spindle collar dia. | 41 mm |
| Weight without cable | 1.4 kgs. |

Scope of supply:
Collet chuck;
2 x single head open
end wrench

MRP: ₹ 10,695



STRAIGHT GRINDER

GGG 28 LCE Professional



Technical Specifications

| | |
|----------------------|-------------------|
| HSN code | 84672900 |
| Part no. | 0 601 221 100 |
| Power input | 650 W |
| No-load speed | 10000 - 28000 rpm |
| Toolholder | Up to 8 mm |
| Weight without cable | 1.6 kgs. |

Scope of supply:
Clamping unit;
13 mm spanner;
19 mm spanner

MRP: ₹ 24,065



BT GRINDERS

GBG 35-15 Professional



Technical Specifications

| | |
|---------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 27A 3F0 |
| Power input | 350 W |
| No load speed | 3000 rpm |
| Disc diameter | 150 mm |
| Grinding disc width | 20 mm |
| Grinding disc bore | 20 mm |
| Weight | 10 kg |

Scope of supply:
Grinding wheel, Normal grit, Grit 24;
Grinding wheel, Normal grit, Grit 60

MRP: ₹ 11,380



BT GRINDERS



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 27A 4F0 |
| Power input | 600 W |
| No load speed (50/60Hz) | 3000 rpm |
| Disc diameter | 200 mm |
| Grinding disc width | 25 mm |
| Grinding disc bore | 32 mm |
| Weight | 17 kgs. |

Scope of supply: **MRP: ₹ 17,795**
Grinding wheel, Normal grit, Grit 24;
Grinding wheel, Normal grit, Grit 60

GBG 60-20 Professional



NIBBLER



***Product available till stock last**

Technical Specifications

| | |
|---------------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 530 103 |
| Power input | 500 W |
| Max. cutting depth in steel | 2 mm |
| Max. cutting depth in aluminium | 2.5 mm |
| Cutting width | 6 mm |
| No-load stroke rate | 2400 spm |
| Weight | 2.0 kgs. |

Scope of supply: **MRP: ₹ 72,815**
Allen key WAF 2.5; Die plate;
Punch

GNA 2.0 Professional



NIBBLER



***Product available till stock last**

Technical Specifications

| | |
|---------------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 533 103 |
| Power input | 620 W |
| Max. cutting depth in steel | 3.5 mm |
| Max. cutting depth in aluminium | 4 mm |
| Cutting width | 6 mm |
| No-load stroke rate | 1000 spm |
| Weight | 3.5 kgs. |

Scope of supply: **MRP: ₹ 1,43,750**
Allen key WAF 4;
Auxiliary handle;
Die plate; Punch;
Supporting arm

GNA 3.5 Professional



SHEAR/CUTTER



***Product available till stock last**

Technical Specifications

| | |
|---------------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 506 103 |
| Power input | 500 W |
| Max. cutting depth in steel | 2.8 mm |
| Max. cutting depth in aluminium | 3.5 mm |
| No-load stroke rate | 2400 spm |
| Weight | 2.7 kgs. |

Scope of supply: **MRP: ₹ 65,825**
Allen key WAF 2.5;
Allen key WAF 5;
Blade; Alignment gauge

GSC 2.8 Professional



IMPACT WRENCH

GDS 18 E Professional

10



Technical Specifications

| | |
|------------------------|----------------|
| HSN code | 84672100 |
| Part no. | 0 601 444 000 |
| Power input | 500 W |
| Torque Max (Hard/Soft) | 250/160 Nm |
| Rated speed | 500 - 1300 rpm |
| Tool Holder | 1/2" Sq. Drive |
| Bolt dia. | Max. M 18 |
| Weight without cable | 3.2 kgs. |

MRP: ₹ 53,810



IMPACT WRENCH

GDS 30 Professional



Technical Specifications


| | |
|-------------------------|---------------|
| HSN code | 84672100 |
| Part no. | 0 601 435 103 |
| Power input | 920 W |
| Torque Max (Hard /Soft) | 1000 / 500 Nm |
| Rated speed | 860 rpm |
| Tool Holder | 1" Sq. Drive |
| Bolt dia. | Max. M 30 |
| Weight | 7.3 kgs. |

Scope of supply:
Auxiliary handle;
Hanging loop

MRP: ₹ 11,6195



WOODWORKING



CIRCULAR SAW

New! GKS 140 Professional



Technical Specifications

| | |
|-------------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 6B3 0F0 |
| Power input | 1400 W |
| Blad diameter/bore size | 184 / 20 mm |
| No-load speed | 6000 rpm |
| Max. depth of cut at 0° | 64 +/-1 |
| Cutting Depth at 90° | 64 mm |
| Cutting Depth at 45° | 45 mm |

Scope of supply:
Parallel guide;
Circular Saw Blade
Allen Key

MRP: ₹ 8,980



CIRCULAR SAW

GKS 190 Professional



Technical Specifications

| | |
|----------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 623 0F1 |
| Power input | 1400 W |
| No-load speed | 5500 rpm |
| Saw blade bore | 20 mm |
| Saw blade dia. | 184 mm |
| Cutting depth (90°) | 67 mm |
| Cutting depth (45°) | 48 mm |
| Weight without cable | 4.1 kgs. |

Scope of supply:
Allen key WAF 5; Parallel guide;
Saw blade

MRP: ₹ 12,645



CIRCULAR SAW

GKS 235 Turbo Professional



Technical Specifications

| | |
|----------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 5A2 0F0 |
| Power input | 2050 W |
| No-load speed | 0 - 5300 rpm |
| Saw blade bore | 25 mm |
| Saw blade dia. | 235 mm |
| Cutting depth (90°) | 85 mm |
| Cutting depth (45°) | 65 mm |
| Weight without cable | 7.6 kgs. |

Scope of supply:
Allen key; Wrench;
Saw blades

MRP: ₹ 16,515



JIGSAW

GST 650 Professional



Technical Specifications

| | |
|---------------------------------|----------------|
| HSN code | 84672200 |
| Part no. | 0 601 5A8 0F0 |
| Power input | 450 W |
| No-load speed | 800 - 3100 rpm |
| Max. cutting depth in wood | 65 mm |
| Max. cutting depth in aluminium | 10 mm |
| Max. cutting depth in metal | 3 mm |
| Weight | 1.9 kgs. |

Scope of supply:
1 Wood blade; 1 Allen key

MRP: ₹ 4,980



JIGSAW

GST 700 Promo Professional



Technical Specifications

| | |
|-----------------------|-------------------|
| HSN code | 84672200 |
| Part no | 0 601 2A7 0F1 |
| Power input | 500 W |
| Stroke rate | 1,450 - 3,200 spm |
| Cutting depth in wood | 70 mm |
| Stroke length | 20 mm |
| Weight | 2.1 kgs. |

Scope of supply:
Wood blade T111C; Softbag;
1 hex key; Dust Cover;
3 Foam

MRP: ₹ 8,665



JIGSAW

GST 85 PBE Professional



Technical Specifications

| | |
|------------------------------------|----------------|
| HSN code | 84672200 |
| Part no. | 0 601 587 65B |
| Power input | 580 W |
| No-load stroke rate | 500 - 3100 spm |
| Cutting depth in wood | 85 mm |
| Cutting depth in aluminium | 20 mm |
| Cutting depth in non-alloyed steel | 10 mm |
| Weight without cable | 2.4 kgs. |

Scope of supply:
1 anti-splinter guard;
3 x saw blades; Carry case

MRP: ₹ 18,560



JIGSAW

GST 150 BCE Professional



Technical Specifications

| | |
|------------------------------------|----------------|
| HSN code | 84672200 |
| Part no. | 0 601 513 0F0 |
| Power input | 780 W |
| No-load stroke rate | 500 - 3100 spm |
| Cable length | 4 m |
| Stroke height | 26 mm |
| Cutting depth in wood | 150 mm |
| Cutting depth in aluminium | 20 mm |
| Cutting depth in non-alloyed steel | 10 mm |

Weight without cable 2.7 kgs.
Scope of supply:
Dust extraction set; Anti-splinter guard;
Carry case; Glide shoe; 3 x saw blades

MRP: ₹ 22,345



TABLE SAW

GTS 10 J Professional



Technical Specifications

| | |
|----------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 B30 5K1 |
| No-load speed | 3650 rpm |
| Table size | 642 x 634 mm |
| Saw blade diameter | 254 mm |
| Cutting height 90° | 79 mm |
| Saw bore diameter | 30 mm |
| Max Cutting on right | 635 mm |
| Max Cutting on left | 255 mm |
| Weight | 27 kgs. |

Scope of supply:
Angle guide;
Dust extraction adapter;
Parallel guide; Push stick;
Saw blade 254 x 30 mm

MRP: ₹ 84,480



MITER SAW

GCM 10 MX Professional

11



Technical Specifications

| | |
|-------------------------------|---------------|
| HSN code | 84672200 |
| Part no. | 0 601 B29 0K0 |
| Power input | 1700 W |
| Cutting capacity, 0° | 89 mm |
| Cutting capacity, 45° incline | 67 mm |
| No-load speed | 4800 rpm |
| Saw blade diameter | 255 mm |
| Saw blade bore | 25.4 mm |
| Weight | 14.1 kgs. |

Scope of supply:
Allen key; Saw blade;
Wrench; Carton box

MRP: ₹ 29,730



PLANER

GHO 6500 Professional



Technical Specifications

| | |
|--------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 596 0F0 |
| Power input | 650 W |
| No-load speed | 16500 rpm |
| Planing width | 82 mm |
| Max. cutting depth | 2.6 mm |
| Weight | 2.8 kgs. |

Scope of supply:
Allen key; Parallel guide;
Sharpening device for HSS blade;
Setting gauge for HSS blade

MRP: ₹ 9,185



PLANER

GHO 10-82 Professional



Technical Specifications

| | |
|---------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 594 060 |
| Power input | 710 W |
| Adjustable rebating depth | 0 - 9 mm |
| No-load speed | 16500 rpm |
| Cutting Width | 82 mm |
| Cutting Depth Max. | 1 mm |
| Weight without cable | 2.5 kgs. |

Scope of supply:
Guide bracket;
Single-ended open-jaw spanner;
Stop bracket

MRP: ₹ 10,190



PLANER

GHO 26-82 D Professional



Technical Specifications

| | |
|--------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 5A4 301 |
| Power input | 710 W |
| No-load Speed | 16500 rpm |
| Recess | 9 mm |
| Cutting Width | 82 mm |
| Max. Cutting Depth | 2.6 mm |
| Weight | 3 kgs. |

Scope of supply:
Dust box; Parallel guide;
Auxillary blade

MRP: ₹ 12,510



RANDOM ORBIT SANDER

GEX 125-1 AE Professional



Technical Specifications

| | |
|--------------------------|-------------------|
| HSN code | 84672900 |
| Part no. | 0 601 387 5F2 |
| Power input | 250 W |
| Sanding pad dia. | 125 mm |
| No-load speed | 7500 - 12000 rpm |
| Orbital stroke rate | 15000 - 24000 opm |
| Eccentricity | 1.25 mm |
| Oscillating circuit dia. | 2.5 mm |
| Weight | 1.3 kgs. |

Scope of supply:
Dust box; Sanding disc

MRP: ₹ 8,390



RANDOM ORBIT SANDER

GEX 150 AC Professional



Technical Specifications

| | |
|------------------------------|------------------|
| HSN code | 84672900 |
| Part no. | 0 601 372 768 |
| Sanding plate diameter | 150 mm |
| No-load speed | 4500 - 12000 rpm |
| Orbital stroke rate | 9000 - 24000 opm |
| Eccentricity | 2 mm |
| Power input | 340 W |
| Oscillating circuit diameter | 4 mm |
| Weight without cable | 2.1 kgs. |

Scope of supply:
Dust extraction adapter;
Adapter; Sanding paper G80

MRP: ₹ 17,385



ORBITAL SANDER

GSS 140 Professional



Technical Specifications

| | |
|-----------------------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 2A8 0F0 |
| Power input | 220 W |
| No-load speed | 14000 rpm |
| No-load orbital stroke rate | 28000 opm |
| Orbital diameter | 1.5 mm |
| Sanding sheet dimension | 114 x 140 mm |
| Sanding plate dimension | 101 x 112 mm |
| Weight | 1.2 kgs. |

Scope of supply:
Wood Sanding paper 3 pcs

MRP: ₹ 3,770



ORBITAL SANDER

GSS 2300 Professional



Technical Specifications

| | |
|--------------------|----------------|
| HSN code | 84672900 |
| Part no. | 0 601 298 0F0 |
| Power input | 190 W |
| No-load speed | 12000 rpm |
| Sanding sheet size | 230 mm x 93 mm |
| Sanding plate size | 182 mm x 92 mm |
| Weight | 1.5 kgs. |

Scope of supply:
Carton box;
3 Sanding sheets

MRP: ₹ 6,980



ROUTER



Technical Specifications

| | |
|---------------|---------------|
| HSN code | 84672900 |
| Part no. | 0 601 6A0 0F0 |
| Power input | 550 W |
| No-load speed | 33000 rpm |
| Bit size | 6 3/4" mm |
| Weight | 1.4 kg |

Scope of supply:
Parallel guide; Roller guide;
Template guide; Spinners;
Straight bit

MRP: ₹ 6,735

GKF 550 Professional



ROUTER



*Product available till stock last



Technical Specifications

| | |
|----------------------------|---------------------|
| HSN code | 84672900 |
| Part no. | 0 603 26C 800 |
| Power input | 1400 W |
| Power output | 650 W |
| Toolholder (supplied) | 6 mm |
| No-load speed | 11,000 - 28,000 rpm |
| Maximum router cage stroke | 55 mm |
| Weight | 3.5 kgs. |

Scope of supply:
Dust extraction adapter;
Open ended spanner;
Template guide; Plastic case;
Straight bit; Parallel guide;
Centring pin; 3 collets

MRP: ₹ 13,520

POF 1400 ACE Professional



SCREWDRIVER



*Product available till stock last



Technical Specifications


| | |
|---|-----------------------|
| HSN code | 84672100 |
| Part no. | 0 601 445 000 |
| Power input | 701 W |
| Torque, max. (soft screwdriving applications) | 20 Nm |
| Toolholder | 1/4" internal hexagon |
| No-load speed | 0 - 2500 rpm |
| Self-drilling screw dia. | 6 mm |
| Weight without cable | 1.5 kgs. |

Scope of supply:
Carry case; Depth stop;
Magnetic universal holder;
Screwdriver bit; Belt clip

MRP: ₹ 19,530

GSR 6-25 TE Professional





STORAGE SOLUTIONS

STORAGE BOXES

i-BOXX 53

12



Technical Specifications

| | |
|-------------|------------------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 1RV |
| Material | Plastic |
| Application | For use with L-Boxx 3D |
| Weight | 1.8 lb |

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹ 1,783



STORAGE BOXES

i-BOXX 72



Technical Specifications

| | |
|-------------|------------------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 1RW |
| Material | Plastic |
| Application | For use with L-Boxx-3D |
| Weight | 1.94 lb |

Scope of supply:
Thin drawer for L-BOXX-3D

MRP: ₹ 1,878



STORAGE BOXES

L-BOXX 102 Professional



Technical Specifications

| | |
|--------------|--------------------------|
| HSN code | 39231090 |
| Part number | 1 600 A01 2FZ |
| Material | ABS |
| Suitable for | All types of power tools |
| Weight | 1.8 kg |



MRP: ₹ 2,467



STORAGE BOXES

L-BOXX 136 Professional



Technical Specifications

| | |
|-------------|------------------------|
| HSN code | 39231090 |
| Part number | 1 600 A01 2G0 |
| Material | ABS |
| Application | For use with L-Boxx-3D |
| Weight | 2.2 kg |

MRP: ₹ 2,562



STORAGE BOXES

L-BOXX 238 Professional



Technical Specifications

| | |
|-------------|---------------|
| HSN code | 39231090 |
| Part number | 1 600 A01 2G2 |
| Material | ABS |
| Weight | 2.8 kg |

MRP: ₹ 3,512



STORAGE BOXES

L-BOXX 374 Professional



Technical Specifications

| | |
|--------------|--------------------------|
| HSN code | 39231090 |
| Part number | 1 600 A01 2G3 |
| Material | ABS |
| Suitable for | All types of power tools |
| Weight | 3.0 kg |

MRP: ₹ 4,670



STORAGE BOXES

L-BOXX Mini Professional



Technical Specifications

| | |
|--------------|---------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 7SF |
| Material | PP |
| Maximum load | 1.5 kg |
| Weight | 0.3 kg |

MRP: ₹ 758



STORAGE BOXES

L-BOXX 306 Professional



Technical Specifications

| | |
|--------------|----------------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 1RU |
| Material | ABS |
| Product Type | LS-BOXX Tool Storage |
| Weight | 3.85 kg |

MRP: ₹ 5,885



STORAGE BOXES

LT-BOXX 170 Professional

12



Technical Specifications

| | |
|-------------|---------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 222 |
| Material | ABS |
| Weight | 2.3 kg |

MRP: ₹ 4,025



STORAGE BOXES

LT-BOXX 272 Professional



Technical Specifications

| | |
|-------------|---------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 223 |
| Material | ABS |

MRP: ₹ 5,125



TOOL BAG

TOOL BAG - 48 x 28 x 30



Technical Specifications

| | |
|-------------|---------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 3BJ |
| Length | 480 mm |
| Width | 300 mm |
| Height | 280 mm |
| Weight | 1.5 kg |

MRP: ₹ 2,164



TOOL BAG

TOOL BAG - 55 x 35 x 35



Technical Specifications

| | |
|-------------|---------------|
| HSN code | 39231090 |
| Part number | 1 600 A00 3BK |
| Length | 550 mm |
| Width | 350 mm |
| Height | 350 mm |

MRP: ₹ 2,490





HIGH-PRESSURE CLEANERS

HIGH-PRESSURE CLEANERS

HIGH-PRESSURE WASHER

GHP 5-13 C Professional

13



Scope of supply:
Variably adjustable fan spray lance

Technical Specifications

| | |
|----------------------------|-------------------|
| HSN code | 84248990 |
| Part no. | 0 600 910 0F0 |
| Absorbed power | 2300 Watts |
| Maximum pressure | 140 bar |
| Working pressure | 130 bar |
| Maximum flow rate | 520 l/h |
| Auto-stop | Yes |
| Pump system | Crankshaft |
| Working position | Horizontal |
| Motor type | Induction |
| Voltage / Frequency | 220-240v and 50hz |
| Hose length | 8 m |
| Electric cable | 5 m |
| Pressure adjustment (flow) | Yes |
| Weight | 16.5 kgs. |

MRP: ₹ 61,440



HIGH-PRESSURE WASHER

GHP 5-65 Professional



Technical Specifications

| | |
|----------------------|---------------|
| HSN code | 84248990 |
| Part no. | 0 600 910 5F0 |
| Motor power | 2,400 W |
| Maximum Pressure | 160 bar |
| Maximum Flow rate | 520 l/h |
| Hose length | 8 m |
| Auto Stop | Yes |
| Integrated detergent | Yes |
| Pump system | Wobble Plate |
| Weight | 23.5 kgs. |

Scope of supply:
Bosch gun; Roto nozzle;
Hose coupling;
Adjustable 3-in-1 lance
(stainless steel); Water filter

MRP: ₹ 69,520



HIGH-PRESSURE WASHER

GHP 5-75 X Professional



Technical Specifications

| | |
|----------------------|---------------|
| HSN code | 84248990 |
| Part no. | 0 600 910 8F0 |
| Motor power | 2,600 W |
| Maximum pressure | 185 bar |
| Maximum flow rate | 570 l/h |
| Hose length | 10 m |
| Auto-stop | Yes |
| Integrated detergent | Yes |
| Pump system | Wobble Plate |
| Weight | 28.2 kgs. |

MRP: ₹ 1,03,770



HIGH-PRESSURE WASHER

GHP 8-15 XD Professional



Technical Specifications

| | |
|-------------------|---------------|
| HSN code | 84248990 |
| Part no. | 0 600 910 3F0 |
| Input power | 4000 W |
| Maximum flow rate | 800 l/h |
| Maximum pressure | 160 bar |
| Working pressure | 150 bar |
| Hose length | 15 m |
| Auto-stop | Yes |
| Pump system | Wobble plate |
| Working position | Horizontal |
| Weight | 40.6 kgs. |

MRP: ₹ 1,35,550



Symbols and their meaning.



Guide rail
For precise cuts.



"Plus-clean" system
Electromagnetic filter cleaning for clean filter surfaces and lasting suction power.



Removable cable



Handle



Carrying case



Slim Grip
Slim Grip



Spindle lock
Faster, easier disc tool changing.



High Torque



Adjustable cutter clearance
Screw to adjust the cutter clearance according to sheet thickness.



L-BOXX
Intelligent system for transport and storage.



2 in 1 dual tool holder
Easily switch between screwdriving and bolting applications



Bosch SDS System
Fast, tool-free changing of application tools.



Bosch SDS-pro System
For fast, tool-free changing of grinding discs.



SDS-plus toolholder
Optimum power transfer. For Rotary Hammers in the 2 – 4kg class.



SDS-max toolholder
Optimum power transfer. For Rotary Hammers and Demolition Hammers from the 5kg class onwards.



Electronic
Speed preselection for adjusting to suit any application.



Constant Electronic
Power booster for heavy loads. Constant speed, even under load.



Torque Control
Torque preselection for uniform screwdriving of a large number of screws.



Anti-Rotation
Interruption of power transfer.



Overload clutch



Forward/reverse rotation
For inserting and removing screws.



Lithium-ion technology
No self-discharge. No memory effect.



Anti-rotation protective guard
Stands firm, even if the disc breaks.



Brake system
The brake reduces the run-out time of the disc by up to 80%.



Kick-Back Stop
More protection: the tool shuts down when jammed.



Restart protection
Prevents the tool from automatically starting up after a power cut.



Dust extraction
Directly into the integral dust bag on the machine and/or using an all-purpose dust extractor.



Direct cooling
For high overload capability and a long service life.



Starting current limitation
For a safe start.



Saw blade pendulum action
Adjustable 3-stage or 4-stage saw blade pendulum action.



Inox
For a perfect finish on stainless steel



Easy-Fit
A perfect fit for paper with hook and loop fastening and for rolls of paper.



Fine depth adjustment
Scale accurate to 1/10 mm for precise routing work.



Turbo Blower
Blower for optimum view of the cutting line.



Double Insulation



1 Speed



Light Weight



Auto-Lock
For fastest possible tool changes with one hand.



Turbo Power
More power for faster working.



Woodrazor
Extremely sharp blades and an exact fit.



Laser class 3R
Laser class for various measuring tools.



Laser class 2
Laser class for measuring tools.



Bosch Wood Protection System
For preventing damage.



Bosch Full Force Technology
For eliminating wasted power and space.



Vibration Control
Patented vibration damping system.

| Part Number | Category | Model Number | HSN Code | MRP ₹ |
|-----------------|-----------------------|---|----------|--------|
| CORDLESS | | | | |
| 06019H20F0 | Screwdriver | Bosch GO Solo | 84672900 | 3,245 |
| 06019H21L1 | Screwdriver | New! Bosch GO 2.0 | 84672900 | 4,400 |
| 06019G80F1 | Screwdriver | New! GSR 120-Li (Single Battery) | 84672100 | 6,055 |
| 06019G80F0 | Drill Driver | GSR 120 Li | 84672100 | 9,410 |
| 06019G90K0 | Screwdriver | New! GSR 12V-30 | 84672100 | 15,200 |
| 06019F60K0 | Drill Driver | GSR 12V-15 FC | 84672100 | 21,925 |
| 06019D40K2 | Drill Driver | GSR 12 V-EC | 84672100 | 16,620 |
| 06019F81K0 | Drill Drivers | GSR 180-Li | 84672100 | 14,580 |
| 06019E81K0 | Drill Drivers | GSR 18 V-EC | 84672100 | 28,580 |
| 06019H50K0 | Drill Drivers | New! GSR 18V-50 | 84672100 | 21,575 |
| 06019G81K2 | Impact Drills Drivers | GSB 120 Kit | 84672100 | 10,805 |
| 06019F83K0 | Impact Drills | GSB 180-Li | 84672100 | 15,340 |
| 06019F00K6 | Impact Driver | GDR 120-LI | 84672100 | 12,920 |
| 06019E00F6 | Impact Driver | GDR 12 V-EC | 84672100 | 22,475 |
| 06019G61K0 | Impact Driver | GDS 250-Li | 84672900 | 26,915 |
| 06019D81F0 | Impact Wrench | GDS 18 V-EC 250 | 84672100 | 44,610 |
| 06019A13F2 | Impact Wrench | GDS 18 V-Li HT | 84672100 | 70,960 |
| 06019B91F0 | Impact Wrench | GDX 18 V-EC | 84672900 | 37,790 |
| 06119111F0 | Rotary Hammers 1-2 Kg | GBH 180-Li (Brushless) | 84672900 | 34,560 |
| 0611906003 | Rotary Hammers 3 Kg | GBH 36-V-28 | 84672100 | 76,290 |
| 06019C62K1 | Vacuum Cleaners | GAS 18V-1 | 85081100 | 15,130 |
| 06019J40K1 | Angle Grinder | GWS 18V-10 | 84672900 | 35,570 |

| BATTERY | | | | |
|----------------|--------------|---------------------|----------|-------|
| 1600A00F6X | Battery-Pack | GBA 12V 2.0Ah | 85076000 | 2,625 |
| 1600A001CG | Battery-Pack | Freedom 2.0Ah 18V | 85076000 | 4,910 |
| 1600A00163 | Battery-Pack | GBA 18 V 4.0 Ah M-C | 85076000 | 7,450 |
| 1600A01B8X | Charger | GAL 12V-40 | 85044030 | 2,805 |
| 1600A001DH | Charger | GAL 1860 CV | 85044030 | 4,250 |

| DEMOLITION HAMMERS | | | | |
|---------------------------|---------------------------|-------------------------|----------|----------|
| 06113385F0 | Demolition Hammer < 5 Kg | GSH 500 | 84672100 | 21,680 |
| 06113387F0 | Demolition Hammer < 5 Kg | New! GSH 500 MAX | 84672100 | 26,880 |
| 06113370K0 | Demolition Hammer < 5 Kg | GSH 5 | 84672100 | 36,100 |
| 06113168F0 | Demolition Hammer < 11 Kg | GSH 11 E | 84672100 | 46,990 |
| 0611336000 | Demolition Hammer < 11 Kg | GSH 11 VC | 84672100 | 76,825 |
| 06113351F0 | Demolition Hammer > 16 Kg | GSH 16-30 | 84672100 | 1,14,105 |
| 061130A000 | Demolition Hammer > 27 Kg | GSH 27 VC | 84672100 | 2,28,840 |

| ROTARY HAMMERS | | | | |
|-----------------------|-----------------------------|--------------|----------|----------|
| 06112583F2 | Rotary Hammer 1 - 2 Kg | GBH 200 | 84672100 | 8,360 |
| 0611250655 | Rotary Hammer 1 - 2 Kg | GBH 2-22 E | 84672100 | 11,895 |
| 0611250755 | Rotary Hammer 1 - 2 Kg | GBH 2-22 RE | 84672100 | 12,395 |
| 06112721K6 | Rotary Hammer 1 - 2 Kg | GBH 2-24 DRE | 84672100 | 14,100 |
| 0611251655 | Rotary Hammers 1 - 2 Kg | GBH 2-26 E | 84672100 | 16,130 |
| 0611251755 | Rotary Hammers 1 - 2 Kg | GBH 2-26 RE | 84672100 | 16,380 |
| 0611253755 | Rotary Hammers 1 - 2 Kg | GBH 2-26 DRE | 84672100 | 17,655 |
| 06112671F0 | Rotary Hammers 1 - 2 Kg | GBH 2-28 DV | 84672100 | 19,555 |
| 061123A0K0 | Rotary Hammers 3 Kg | GBH 3-28 DRE | 84672100 | 28,775 |
| 06113321F0 | Rotary Hammers 4 Kg | GBH 4-32 DFR | 84672100 | 36,450 |
| 06112690K0 | Rotary Hammer 5 Kg and more | GBH 5-40 D | 84672100 | 48,625 |
| 06112650K0 | Rotary Hammer 5 Kg and more | GBH 8-45 DV | 84672100 | 88,225 |
| 0611266000 | Rotary Hammer 5 Kg and more | GBH 12-52 DV | 84672100 | 1,05,475 |

| Part Number | Category | Model Number | HSN Code | MRP ₹ |
|---------------------------|------------------------------------|---------------------------|----------|----------|
| DIAMOND TECHNOLOGY | | | | |
| 0601189800 | Diamond Drills | GDB 180 WE | 84672100 | 1,59,400 |
| 0601190100 | Diamond Drills | GCR 180 | 84672100 | 1,18,495 |
| 0601189900 | Diamond Drills | GDB 350 WE | 84672100 | 2,40,715 |
| 0601190200 | Diamond Drills | GCR 350 | 84679900 | 1,61,805 |
| 06013930F1 | Stone Cutter | GDC 120 | 84672900 | 4,895 |
| 06013931F1 | Stone Cutter | GDC 121 | 84672900 | 5,425 |
| 06013A02F0 | Stone Cutter | New! GDC 155 | 84672900 | 6,350 |
| SPECIALITY TOOLS | | | | |
| 06019805F0 | Blower | GBL 620 | 84145920 | 3,655 |
| 06019804F5 | Blower | GBL 82-270 | 85081100 | 6,035 |
| 060194D0F0 | Heat Gun | GHG 180 | 84672900 | 3,155 |
| 06012A62K0 | Heat Gun | GHG 20-63 | 84672900 | 9,390 |
| 06012A6400 | Heat Gun | GHG 20-60 | 84672900 | 10,440 |
| 06013A20F0 | Metal Surface Polisher | GPO 950 | 84672900 | 9,780 |
| 06013890F0 | Metal Surface Polisher | GPO 12 CE | 84672900 | 14,905 |
| 06013890F1 | Metal Surface Polisher | GPO 12 CE (Promo) | 84672900 | 15,710 |
| 06016810K0 | Recipsaw | New! GSA 120 | 84672900 | 16,075 |
| 06019E51K0 | Vacuum Cleaner | New! GAS 15 PS | 85081100 | 17,600 |
| 060197C0F0 | Vacuum Cleaner | GAS 12-25 | 85081100 | 20,755 |
| 06019C3060 | Vacuum Cleaner | GAS 35 L SFC | 85081100 | 67,620 |
| 06019C3360 | Vacuum Cleaner | GAS 55 M AFC | 85081100 | 1,03,280 |
| 06012370F0 | Oscillating Tools | GOP 30-28 | 84672900 | 20,755 |
| 0601621703 | Wall Chaser | GNF 35 CA | 84672900 | 63,455 |
| 06012831F1 | Concrete Vibrator | GVC 22 EX | 84678920 | 1,01,105 |
| DRILLS | | | | |
| 06011A95F1 | Rotary Drill | New! GBM 350 | 84672100 | 2,690 |
| 06014775F0 | Rotary Drill | GBM 13 RE | 84672100 | 5,535 |
| 0601169055 | Rotary Drill | GBM 13-2 | 84672100 | 10,800 |
| 06011B00K0 | Rotary Drill | GBM 1600 RE | 84672100 | 13,015 |
| 0601121103 | Rotary Drill | GBM 23-2 | 84672100 | 68,840 |
| 0601130203 | Rotary Drill | GBM 32-4 | 84672100 | 85,350 |
| 0601193003 | Rotary Drill | GMB 32 | 84679900 | 1,94,655 |
| 06011B40F0 | Rotary Drill | New! GBM 50-2 | 84679900 | 1,01,760 |
| 06012161FK | Impact Drill | GSB 450 | 84672100 | 3,205 |
| 06012161FL | Impact Drill | GSB 450 + Wrap Set | 84672100 | 3,915 |
| 06012161FD | Impact Drill | GSB 501 | 84672100 | 3,630 |
| 06012171F3 | Impact Drill | GSB 13 RE | 84672100 | 5,795 |
| 06012281K0 | Impact Drill | GSB 16 RE | 84672100 | 9,115 |
| 06011A21F1 | Impact Drill | GSB 20-2 RE | 84672100 | 13,885 |
| 06012161F4 | Impact Drill | GSB 10 RE Kit | 84672100 | 6,030 |
| 06012171F6 | Impact Drill | GSB 13 RE Kit | 84672100 | 7,605 |
| 06011A15F3 | Impact Drill | GSB 550 (XL Kit) | 84672100 | 7,595 |
| 06011A15F1 | Impact Drill | GSB 550 (Freedom Kit) | 84672100 | 5,545 |
| CHOPSAWS | | | | |
| 0601B370F0 | Bench Top Cut-off Saw | GCO 220 | 84672200 | 14,110 |
| 0601B371F0 | Bench Top Cut-off Saw | GCO 14-24 | 84672200 | 17,470 |
| 0601B372F0 | Bench Top Cut-off Saw | GCO 14-24 J | 84672200 | 19,140 |
| GRINDERS | | | | |
| 060137505F | Mini Grinder 4" | GWS 600 | 84672900 | 3,225 |
| 06013940F0 | Mini Grinder 4" | GWS 750-100 | 84672900 | 4,355 |
| 06013940F2 | Mini Grinder 4" + 3 Grinding Discs | GWS 750-100 + 3 x Gr | 84672900 | 4370 |
| 06013960F0 | Mini Grinder 4" | GWS 900-100 | 84672900 | 5,260 |
| 060137515A | Mini Grinder 5" | GWS 6-125 | 84672900 | 4,820 |
| 06013961K2 | Mini Grinder 5" | New! GWS 900-125 S | 84672900 | 6,840 |
| 06018242F1 | Mini Grinder 5" | GWS 14-125 CI | 84672900 | 9,715 |
| 06017A30K0 | Mini Grinder 5" | GWS 18-125 L | 84672900 | 16,855 |
| 0601776001 | Concrete Grinder | GBR 15 CAG | 84672900 | 63,480 |
| 06018B70F0 | Large Angle Grinder 7" | GWS 2000-180 | 84672900 | 9,620 |
| 0601881AK0 | Large Angle Grinder 7" | GWS 22-180 | 84672900 | 12,965 |
| 06018C00F0 | Large Angle Grinder 7" | New! GWS 2200-180 | 84672900 | 10,950 |

| Part Number | Category | Model Number | HSN Code | MRP ₹ |
|-------------------------------|------------------------|--------------------------|----------|----------|
| GRINDERS | | | | |
| 0601853455 | Large Angle Grinder 7" | GWS 24-180 | 84672900 | 15,830 |
| 0601855100 | Large Angle Grinder 7" | GWS 26-180 H | 84672900 | 22,825 |
| 0601850155 | Large Angle Grinder 9" | GWS 20-230 | 84672900 | 11,870 |
| 06018C10F0 | Large Angle Grinder 9" | New! GWS 2200-230 | 84672900 | 11,950 |
| 0601882AF0 | Large Angle Grinder 9" | GWS 22-230 | 84672900 | 13,835 |
| 0601854455 | Large Angle Grinder 9" | GWS 24-230 | 84672900 | 17,100 |
| 0601856100 | Large Angle Grinder 9" | GWS 26-230 H | 84672900 | 23,225 |
| 06018A70F0 | Large Angle Sander | GWS 22 U | 84672900 | 16,850 |
| METALWORKING | | | | |
| 06012240F0 | Straight Grinder | GGs 3000 L | 84672900 | 8,835 |
| 06012241F0 | Straight Grinder | GGs 5000 L | 84672900 | 10,695 |
| 0601221100 | Straight Grinder | GGs 28 LCE | 84672900 | 24,065 |
| 060127A3F0 | Bench Grinder | GBG 35-15 | 84672900 | 11,380 |
| 060127A4F0 | Bench Grinder | GBG 60-20 | 84672900 | 17,795 |
| 0601530103 | Nibblers | GNA 2.0 | 84672900 | 72,815 |
| 0601533103 | Nibblers | GNA 3.5 | 84672900 | 1,43,750 |
| 0601506103 | Shears/Cutters | GSC 2.8 | 84672900 | 65,825 |
| 0601444000 | Impact Wrench | GDS 18 E | 84672100 | 53,810 |
| 0601435103 | Impact Wrench | GDS 30 | 84672100 | 1,16,195 |
| WOODWORKING | | | | |
| 06016B30F0 | Circular Saw | New! GKS 140 | 84672200 | 8,980 |
| 06016230F1 | Circular Saw | GKS 190 | 84672200 | 12,645 |
| 06015A20F0 | Circular Saw | GKS 235 Turbo | 84672200 | 16,515 |
| 06015A80F0 | Jigsaw | GST 650 | 84672200 | 4,980 |
| 06012A70F1 | Jigsaw | GST 700 Promo | 84672200 | 8,665 |
| 060158765B | Jigsaw | GST 85 PBE | 84672200 | 18,560 |
| 06015130F0 | Jigsaw | GST 150 BCE | 84672200 | 22,345 |
| 0601B305K1 | Table Saw | GTS 10 J | 84672200 | 84,480 |
| 0601B290K0 | Miter Saw | GCM 10 MX | 84672200 | 29,730 |
| 06015960F0 | Planer | GHO 6500 | 84672900 | 9,185 |
| 0601594060 | Planer | GHO 10-82 | 84672900 | 10,190 |
| 06015A4301 | Planer | GHO 26-28 D | 84672900 | 12,510 |
| 06013875F2 | Random Orbit Sander | GEX 125-1 AE | 84672900 | 8,390 |
| 0601372768 | Random Orbit Sander | GEX 150 AC | 84672900 | 17,385 |
| 06012A80F0 | Orbital Sander | GSS 140 | 84672900 | 3,770 |
| 06012980F0 | Orbital Sander | GSS 2300 | 84672900 | 6,980 |
| 06016A00F0 | Router | GKF 550 | 84672900 | 6,735 |
| 060326C800 | Router | POF 1400 ACE | 84672900 | 13,520 |
| 0601445000 | Screwdriver | GSR 6-25 TE | 84672100 | 19,530 |
| STORAGE BOXES | | | | |
| 1600A001RV | Storage Boxes | i-BOXX 53 | 39231090 | 1,783 |
| 1600A001RW | Storage Boxes | i-BOXX 72 | 39231090 | 1,878 |
| 1600A012FZ | Storage Boxes | L-BOXX 102 | 39231090 | 2,467 |
| 1600A012G0 | Storage Boxes | L-BOXX 136 | 39231090 | 2,562 |
| 1600A012G2 | Storage Boxes | L-BOXX 238 | 39231090 | 3,512 |
| 1600A012G3 | Storage Boxes | L-BOXX 374 | 39231090 | 4,670 |
| 1600A007SF | Storage Boxes | L-BOXX Mini | 39231090 | 758 |
| 1600A001RU | Storage Boxes | L-BOXX 306 | 39231090 | 5,885 |
| 1600A00222 | Storage Boxes | LT-BOXX 170 | 39231090 | 4,025 |
| 1600A00223 | Storage Boxes | LT-BOXX 272 | 39231090 | 5,125 |
| 1600A003BJ | Tool Bag | TOOL BAG - 48 x 28 x 30 | 39231090 | 2,164 |
| 1600A003BK | Tool Bag | TOOL BAG - 55 x 35 x 35 | 39231090 | 2,490 |
| HIGH-PRESSURE CLEANERS | | | | |
| 06009100F0 | High-pressure Washer | GHP 5-13 C | 84248990 | 61,440 |
| 06009105F0 | High-pressure Washer | GHP 5-65 | 84248990 | 69,520 |
| 06009108F0 | High-pressure Washer | GHP 5-75 X | 84248990 | 1,03,770 |
| 06009103F0 | High-pressure Washer | GHP 8-15 XD | 84248990 | 1,35,550 |

WARRANTY TERMS AND CONDITIONS

Power Tools from Bosch are guaranteed against all material and manufacturing defects for a period of 6 months from the date of purchase* for Professional tools and 1 year from the date of purchase* for Professional Heavy Duty Tools.

In the event of failure of the tools due to material and manufacturing defects, we undertake to repair the tools free of charge, provided we are satisfied that,

- ▶ The power tool has not been tampered with.
- ▶ Failure has occurred due to manufacturing / material defect.
- ▶ The power tool has been purchased from an accredited dealer.
- ▶ The claim has been referred to one of the Bosch Authorized Service Centres along with the power tool, guarantee card and original tool purchase receipt or invoice.

This warranty does not cover

- ▶ All normal wear and tear parts like carbon brush, bearings, o-rings etc.
- ▶ Installation to wrong voltage, over load and wrong application.
- ▶ Use other than in accordance to handling instructions.
- ▶ Unauthorized repair carried out.
- ▶ Damage due to any unit caused by accident, misuse, wilful damage, and normal wear, claims arising from loss, fire or other calamities caused by nature or in any way being tampered with.

*Check with Local Bosch representative for Hot Air Gun Warranty.





6 months warranty from the date of purchase*




1 year warranty from the date of purchase*











**Wear
your
Safety**



- ★ Disinfect your tool before and after use
- ★ Wash hands frequently
- ★ Keep social distance

Bosch Limited, Power Tools Division

PA-AT Complex, Hosur Road, Adugodi,
Bangalore - 560030

 www.facebook.com/BoschPTIndia



Customer Contact Center
1800 425 8665

Email: bpt@in.bosch.com
www.bosch-pt.co.in

Edition: September 2020